



health

Department:
Health
REPUBLIC OF SOUTH AFRICA

ICD-10 MASTER INDUSTRY TABLE EXCEL FILE LAY-OUT			
COLUMN	HEADING OF COLUMN	EXPLANATION OF HEADINGS	EXAMPLES
A	Number	Sequential numbering of each entry in the MIT data file used mainly for sorting purposes.	0000000001
B	Chapter_No	Chapter number according to WHO Volume 1 Tabular List.	CHAPTER I
C	Chapter_Desc	Chapter description according to WHO Volume 1 Tabular List.	Certain infectious and parasitic diseases
D	Group_Code	Group code indicates a group of codes that contain clinically similar conditions and follows the conventions of WHO ICD-10 Volume 1 referred to as "block categories".	1
E	Group_Desc	Clinical description of the Group Code, referred to as "block categories in WHO ICD-10 Volume 1.	Intestinal infectious diseases
F	ICD10_3_Code	ICD-10 3-character code, not considered valid for use unless no 4 th or 5 th character code exists. Used together with Column J Valid_ICD10_ClinicalUse to indicate when valid for use.	A08
G	ICD10_3_Code_Desc	ICD-10 3-character code's description	Viral and other specified intestinal infections
H	ICD10_Code	ICD-10 code to maximum level of specificity. Used together with Column J Valid_ICD10_ClinicalUse to indicate when valid for use.	A08
I	WHO_Full_Desc	WHO long description for ICD-10 code in its 4- and 5-character format.	Viral and other specified intestinal infections
J	Valid_ICD10_ClinicalUse	Indicates whether ICD-10 code listed in column H ICD10_Code is valid for clinical use or not. This is to ensure that only codes up to their maximum level of specificity are used. Indicated as: Y = Code VALID for clinical use N = CODE INVALID for clinical use	N

ICD-10 MASTER INDUSTRY TABLE EXCEL FILE LAY-OUT			
COLUMN	HEADING OF COLUMN	EXPLANATION OF HEADINGS	EXAMPLES
K	Valid_ICD10_Primary	Indicates whether ICD-10 code is valid in the primary / first position. Indicated as: Y = Code CAN be used in primary / first position N = Code CANNOT be used in primary / first position	N
L	Valid_ICD10_Asterisk	Indicates whether ICD-10 code is an Asterisk code or not. Indicated as: Y = Code IS an asterisk code N = Code IS NOT an asterisk code Please note that the asterisk (*) symbol is included in column H ICD10_Code.	N
M	Valid_ICD10_Dagger	Indicates whether ICD-10 code is a Dagger code or not. Indicated as: Y = Code IS a dagger code N = Code IS NOT a dagger code	N
N	Valid_ICD10_Sequelae	Indicates whether ICD-10 code is a Sequelae code or not. Indicated as: Y = Code IS a sequelae code N = Code IS NOT a sequelae code	N
O	Age_Range	Age indicator – only age information mentioned in WHO Volume 1 (Tabular List) added in range format.	
P	Gender	Indicated as: M = Male F = Female U = Unspecified As per WHO Volume 2 Instruction Manual	M
Q	Status	South African status indicator for each entry: A = Add D = Discontinue (entry not deleted from file) M = Modify	A
R	WHO_Start_Date	The WHO effective from date for new entries OR effective from date for change to entry to take effect. Date format = CCYYMMDD	20051101

ICD-10 MASTER INDUSTRY TABLE EXCEL FILE LAY-OUT			
COLUMN	HEADING OF COLUMN	EXPLANATION OF HEADINGS	EXAMPLES
S	WHO_End_Date	WHO discontinued date - when entry is no longer in use. Date format = CCYYMMDD	20051101
T	WHO_Revision_History	WHO revision history of changes made per code as per WHO Corrigendas.	
U	SA_Start_Date	Blank if code existed prior to 2007 MIT version. Value exists if code was added after 2007 or when modification to code took place to indicate when change takes effect. Date format = CCYYMMDD	20051101
V	SA_End_Date	South African discontinued date - when entry is no longer in use. Date format = CCYYMMDD	20051101
W	SA_Revision_History	South African revision history of changes made per code.	
X	Comment	Additional comments per code.	Add new code