



health

Department:
Health
REPUBLIC OF SOUTH AFRICA

TABULAR LIST CHANGES (FOR USE IN SOUTH AFRICA)

Changes made to the 2008 Edition up to and including January 2013 of the WHO Corrigenda.
The changes highlighted in blue may not be reflected in the 2010 edition of ICD-10 (also referred to as the 4th edition of ICD-10).

South African Implementation date: 01 June 2013

Volume 3

TABULAR LIST

Instruction	Tabular list entries
Revise code title, revise code title and add code to list	List of Three-Character Categories Bacterial, viral and other infectious agents (<u>B95–B978</u>)
	<u>B95</u> Streptococcus and staphylococcus as the cause of diseases classified to other chapters
	<u>B96</u> Other <u>specified</u> bacterial agents as the cause of diseases classified to other chapters
	<u>B97</u> Viral agents as the cause of diseases classified to other chapters
	<u>B98</u> <u>Other specified infectious agents as the cause of diseases classified to other chapters</u>
Revise code title:	List of Three-Character Categories C79 Secondary malignant neoplasm of other <u>and unspecified</u> sites
Revise code titles and add code to list	List of three-character categories <i>Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)</i> C81 Hodgkin's disease <u>lymphoma</u> C82 Follicular (nodular) non-Hodgkin's lymphoma C83 Diffuse non-Hodgkin's <u>Non-follicular</u> lymphoma C84 Peripheral and cutaneous <u>Mature T/NK-cell</u> lymphomas C85 Other and unspecified types of non-Hodgkin's lymphoma C86 <u>Other specified types of T/NK-cell lymphoma</u>

Instruction	Tabular list entries
Revise category title in list of three character categories	<p>D76 Certain Other specified diseases involving with participation of lymphoreticular tissue and reticulohistiocytic system tissue</p> <p>C88 - Other B-cell lymphoma [Malignant immunoproliferative diseases]</p>
Revise code range and add code to list	<p>List of three-character categories Diseases of the nervous system (G00-G99) Systemic atrophies primarily affecting the central nervous system (G10- G13 G14) G10 Huntington's disease G11 Hereditary ataxia G12 Spinal muscular atrophy and related syndromes G13* Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere G14 <u>Postpolio syndrome</u></p>
Delete category from list of three-character category	<p>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified (I80-I89) I83 Varicose veins of lower extremities I84 Haemorrhoids I85 Oesophageal varices</p>
Revise code title	<p>List of three- character categories Chapter X Diseases of the respiratory system (J00-J99) Influenza and pneumonia (J09-J18) J09 Influenza due to <u>certain</u> identified avian influenza virus</p>
Revise code title	<p>List of three-character categories Chapter XI Diseases of the digestive system (K00-K93) Diseases of oesophagus, stomach and duodenum (K20-K31) K30 Dyspepsia <u>Functional dyspepsia</u></p>

Instruction	Tabular list entries
Add category to list of three-character categories	<p>Other diseases of intestines (K55–K634) K63 Other diseases of intestine <u>K64 Haemorrhoids and perianal venous thrombosis</u></p>
Revise code title:	<p>List of Three-Character Categories Renal failure (N17–N19) N17 Acute renal failure N18 Chronic renal kidney failure disease N19 Unspecified renal failure</p>
Revise code title	<p>List of three-character categories Chapter XV Pregnancy, childbirth and the puerperium (O00-O99) Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16) O11 Pre-existing hypertensive disorder with superimposed proteinuria eclampsia superimposed on chronic hypertension O13 Gestational [pregnancy-induced] hypertension without significant proteinuria O14 Gestational [pregnancy-induced] hypertension with significant proteinuria Pre-eclampsia</p>
Revise list of three-character categories	<p>Other maternal disorders predominantly related to pregnancy (O20–O29) O22 Venous complications <u>and haemorrhoids</u> in pregnancy Complications predominantly related to the puerperium (O85–O92) O87 Venous complications <u>and haemorrhoids</u> in the puerperium</p>
Revise code title:	<p>List of Three-Character Categories Digestive system disorders of fetus and newborn (P75–P78) P75* Meconium ileus <u>in cystic fibrosis</u> P76 Other intestinal obstruction of newborn P77 Necrotizing enterocolitis of fetus and newborn P78 Other perinatal digestive system disorders</p>
Revise code	<p>List of three-character categories</p>

Instruction	Tabular list entries
titles	<p>Chapter XXII Codes for special purposes (U00-U99) Bacterial agents resistant to antibiotics (U80-U89) <u>Resistance to antimicrobial and antineoplastic drugs (U82-U85)</u> <u>U80 Agent resistant to penicillin and related antibiotics</u> <u>U81 Agent resistant to vancomycin and related antibiotics</u> <u>U88 Agent resistant to multiple antibiotics</u> <u>U89 Agent resistant to other and unspecified antibiotics</u> <u>U82 Resistance to betalactam antibiotics</u> <u>U83 Resistance to other antibiotics</u> <u>U84 Resistance to other antimicrobial drugs</u> <u>U85 Resistance to antineoplastic drugs</u></p>
Revise heading and add categories to list of three-character categories	<p>Chapter XXII Codes for special purposes (U00-U99) <u>Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49)</u> <u>U04 Severe acute respiratory syndrome [SARS]</u> <u>U06 Emergency use of U06</u> <u>U07 Emergency use of U07</u></p>
Revise excludes note	<p>Certain infectious and parasitic diseases (A00-B99) <i>Includes:</i> diseases generally recognized as communicable or transmissible <i>Excludes:</i> carrier or suspected carrier of infectious disease (Z22.-) certain localized infections – see body system-related chapters infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium [except obstetrical tetanus] and human immunodeficiency virus [HIV] disease (O98.-) infectious and parasitic diseases specific to the perinatal period [except tetanus neonatorum, congenital syphilis, perinatal gonococcal infection and perinatal human immunodeficiency virus [HIV] disease] (P35-P39) influenza and other acute respiratory infections (J00-J22)</p>
Revise code	<p>Certain infectious and parasitic diseases (A00-B99)</p> <p>....</p> <p>This chapter contains the following blocks:</p>

Instruction	Tabular list entries
	<p>...</p> <p><u>B95–B978</u> Bacterial, viral and other infectious agents</p> <p><u>B99</u> Other infectious disease</p>
Revise Notes	<p>Chapter I - Certain infectious and parasitic diseases (A00-B99) Use additional code (<u>U82-U85</u>) (U80-U89); if desired, to identify the antibiotic to which a bacterial agent is resistant <u>resistance to antimicrobials and antineoplastic drugs</u></p>
Revise note at chapter level	<p>Chapter I - Certain infectious and parasitic diseases (A00-B99) Use additional code (<u>U82-U85-U84</u>), if desired, to identify resistance to antimicrobials and antineoplastic drugs</p>
Revise code title	<p>A02 Other salmonella infections A02.0 Salmonella enteritis Salmonellosis A02.1 Salmonella septicaemia sepsis</p>
Add excludes at category level	<p>A05 Other bacterial foodborne intoxications, not elsewhere classified <i>Excludes: Clostridium difficile</i> foodborne intoxication and infection (A04.7) <i>Escherichia coli</i> infection (A04.0-A04.4)</p>
Delete text and Add text	<p>A09 Other diarrhoea and gastroenteritis of presumed infectious and colitis of infectious and unspecified origin</p> <p><i>Note: In countries where any term listed in A09 without further specification can be assumed to be of non-infectious origin, the condition should be classified to K52.9</i></p> <p>Catarrh, enteric or intestinal Colitis _____ NOS Enteritis _____ } haemorrhagic Gastroenteritis _____ septic Diarrhoea: — NOS — dysenteric — epidemic — Infectious diarrhoeal disease NOS</p> <p><i>Excludes:</i> due to bacterial, protozoal, viral and other specified infectious agents (A00-A08) Noninfective (<u>see noninfectious</u>) diarrhoea (K52.9) - neonatal (P78.3)</p>

Instruction	Tabular list entries
Add code and inclusion terms	<p>A09.0 Other and unspecified gastroenteritis and colitis of infectious origin</p> <p><u>Catarrh, enteric or intestinal</u> <u>Diarrhoea:</u> - <u>acute bloody</u> - <u>acute hemorrhagic</u> - <u>acute watery</u> - <u>dysenteric</u> - <u>epidemic</u> <u>Infectious or septic:</u> - <u>colitis</u> - <u>enteritis</u> } NOS haemorrhagic - <u>gastroenteritis</u> <u>Infectious diarrhoea NOS</u></p>
Add code	<p><u>A09.9 Gastroenteritis and colitis of unspecified origin</u></p>
Add excludes at block level:	<p>Tuberculosis (A15-A19) <i>Includes:</i> infections due <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium bovis</i> <i>Excludes:</i> congenital tuberculosis (P37.0) <u>human immunodeficiency [HIV] disease resulting in tuberculosis (B20.0)</u> pneumoconiosis associated with tuberculosis (J65) sequelae of tuberculosis (B90.-) silicotuberculosis (J65)</p>
Revise code title:	<p>A22 Anthrax <i>Includes:</i> infection due to <i>Bacillus anthracis</i></p> <p><u>A22.7 Anthrax septicaemia-sepsis</u></p>
Add inclusions	<p>A24 Glanders and melioidosis A24.0 Glanders Infection due to <i>Pseudomonas mallei</i> <u>Infection due to <i>Burkholderia mallei</i></u> Malleus A24.1 Acute and fulminating melioidosis Melioidosis: • pneumonia • sepsis</p>

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • septicaemia A24.2 Subacute and chronic melioidosis A24.3 Other melioidosis A24.4 Melioidosis, unspecified Infection due to <i>Pseudomonas pseudomallei</i> NOS <u>Infection due to <i>Burkholderia pseudomallei</i> NOS</u> Whitmore's disease
Revise inclusions:	<p>A24 Glanders and melioidosis</p> <p>A24.1 Acute and fulminating melioidosis</p> <p>Melioidosis:</p> <ul style="list-style-type: none"> • pneumonia • septicaemia <u>sepsis</u>
Revise code title:	<p>A26 Erysipeloid</p> <p>A26.7 Erysipelothrix septicaemia <u>sepsis</u></p>
Revise code title:	<p>A32 Listeriosis</p> <p>A32.7 Listerial septicaemia <u>sepsis</u></p>
Revise code titles:	<p>A40 Streptococcal septicaemia <u>sepsis</u></p> <p><i>Excludes:</i> during labour (O75.3) following:</p> <ul style="list-style-type: none"> • abortion or ectopic or molar pregnancy (O03–O07, O08.0) • immunisation (T88.0) • infusion, transfusion or therapeutic injection (T80.2) <p>neonatal (P36.0–P36.1)</p> <p>postprocedural (T81.4)</p> <p>puerperal (O85)</p> <p>A40.0 Septicaemia <u>Sepsis</u> due to streptococcus, group A</p> <p>A40.1 Septicaemia <u>Sepsis</u> due to streptococcus, group B</p> <p>A40.2 Septicaemia <u>Sepsis</u> due to streptococcus, group D</p> <p>A40.3 Septicaemia <u>Sepsis</u> due to <i>Streptococcus pneumoniae</i></p> <p>Pneumococcal septicaemia <u>sepsis</u></p> <p>A40.8 Other streptococcal septicaemia <u>sepsis</u></p> <p>A40.9 Streptococcal septicaemia <u>sepsis</u>, unspecified</p>
Revise code titles and	<p>A41 Other septicaemia <u>sepsis</u></p> <p><i>Excludes:</i> bacteraemia NOS (A49.9)</p>

Instruction	Tabular list entries
<p>exclusion note:</p>	<p>during labour (O75.3) following: • abortion or ectopic or molar pregnancy (O03–O07, O08.0) • immunisation (T88.0) • infusion, transfusion or therapeutic injection (T80.2) septicaemiasepsis (due to)(in): • actinomycotic (A42.7) • anthrax (A22.7) • candidal (B37.7) • Erysipelothrix (A26.7) • extraintestinal yersiniosis (A28.2) • gonococcal (A54.8) • herpesviral (B00.7) • listerial (A32.7) • meningococcal (A39.2–A39.4) • neonatal (P36.-) • postprocedural (T81.4) • puerperal (O85) • streptococcal (A40.-) • tularaemia (A21.7) septicaemiaseptic: • melioidosis (A24.1) • plague (A20.7) toxic shock syndrome (A48.3) A41.0 Septicaemia Sepsis due to Staphylococcus aureus A41.1 Septicaemia Sepsis due to other specified staphylococcus SepticaemiaSepsis due to coagulase-negative staphylococcus A41.2 Septicaemia Sepsis due to unspecified staphylococcus A41.3 Septicaemia Sepsis due to Haemophilus influenzae A41.4 Septicaemia Sepsis due to anaerobes <i>Excludes:</i> gas gangrene (A48.0) A41.5 Septicaemia Sepsis due to other Gram-negative organisms Gram-negative septicaemia sepsis NOS A41.8 Other specified septicaemiasepsis A41.9 SepticaemiaSepsis, unspecified Septic shock Septicaemia</p>

Instruction	Tabular list entries
Revise inclusion:	<p>B00.7 Disseminated herpesviral disease Herpesviral septicaemiasepsis</p>
Add dagger and asterisk code	<p>B00.8 Other forms of herpes viral infection Herpesviral: • hepatitis† (K77.0*) • whitlow† (L99.8*)</p>
Add note	<p>Viral hepatitis (B15–B19)</p> <p><i>Excludes:</i> cytomegaloviral hepatitis (B25.1) herpesviral [herpes simplex] hepatitis (B00.8) sequelae of viral hepatitis (B94.2)</p> <p><i>Use additional code (Chapter XX), if desired, to identify drug, if post-transfusion hepatitis</i></p> <p>B15 Acute hepatitis A</p> <p>B15.0 Hepatitis A with hepatic coma B15.9 Hepatitis A without hepatic coma Hepatitis A (acute)(viral) NOS</p>
Add new code and inclusion	<p>B17 Other acute viral hepatitis</p> <p>B17.0 Acute delta-(super)infection of hepatitis B carrier</p> <p>B17.1 Acute hepatitis C</p> <p>B17.2 Acute hepatitis E</p> <p>B17.8 Other specified acute viral hepatitis Hepatitis non-A non-B (acute)(viral) NEC</p>

Instruction	Tabular list entries
Modify code titles	<p><u>B17.9</u> Acute viral hepatitis, unspecified <u>Acutehepatitis NOS</u></p> <p>B19 Unspecified viral hepatitis</p> <p>B19.0 Unspecified viral hepatitis with <u>hepatic</u> coma</p> <p>B19.9 Unspecified viral hepatitis without <u>hepatic</u> coma</p>
Add excludes note	<p>Human immunodeficiency virus [HIV] disease (B20–B24) <i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21) <u>complicating pregnancy, childbirth and the puerperium (O98.7)</u></p>
Revise spelling	<p>B21.1 HIV disease resulting in Burkitt's lymphoma</p> <p>B21.2 HIV disease resulting in other types of non-Hodgkin's lymphoma</p>
Revise code title:	<p>B37.7 Candidal septicaemia <u>sepsis</u></p>
Add inclusion term	<p>B67.4 <i>Echinococcus granulosus</i> infection, unspecified <u>Dog tapeworm (infection)</u></p>
Delete inclusion term	<p>B71.1 Dipylidiasis Dog tapeworm (infection)</p>
Revise and add text:	<p>Sequelae of infectious and parasitic diseases (B90-B94) <i>Note:</i> These eCategories B90-B94 are to be used to indicate conditions in categories A00-B89 as the cause of sequelae, which are themselves classified elsewhere. The “sequelae” include conditions specified as such; they also include late effects of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present. For use of these categories, reference should be made to the morbidity or mortality coding rules and guidelines in Volume 2. <u>Not to be used for chronic infections. Code current infections to chronic or active infectious disease as appropriate.</u></p>
Add excludes note	<p>B91 Sequelae of poliomyelitis <i>Excludes:</i> <u>postpolio syndrome (G14)</u></p>
	<p>Bacterial, viral and other infectious agents (B95–B978)</p> <p><i>Note:</i> These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is</p>

Instruction	Tabular list entries
Revise category range and title, add new category and codes	<p>desired to identify the infectious agent(s) in diseases classified elsewhere.</p> <p>B96 Other <u>specified</u> bacterial agents as the cause of diseases classified to other chapters</p> <p>B98 <u>Other specified infectious agents as the cause of diseases classified to other chapters</u></p> <p>B98.0 <u>Helicobacter pylori [H.pylori] as the cause of diseases classified to other chapters</u></p> <p>B98.1 <u>Vibrio vulnificus as the cause of diseases classified to other chapters</u></p>
Revise code title	B96.5 <i>Pseudomonas (aeruginosa)</i> (mallei)(pseudomallei) as the cause of diseases classified to other chapters
Add inclusion term	B97.8 Other viral agents as the cause of diseases classified to other chapters <u>Human metapneumovirus</u>
Revise spelling	<p>Chapter II</p> <p>Neoplasms (C00-D48)</p> <p>...</p> <p>3. Morphology</p> <p>There are a number of major morphological (histological) groups of malignant neoplasms: carcinomas including squamous (cell) and adeno-carcinomas; sarcomas; other soft tissue tumours including mesotheliomas; lymphomas (Hodgkin's and non-Hodgkin's); leukaemia; other specified and site-specific types; and unspecified cancers. Cancer is a generic term and may be used for any of the above groups, although it is rarely applied to the malignant neoplasms of lymphatic, haematopoietic and related tissue. 'Carcinoma' is sometimes used incorrectly as a synonym for 'cancer'.</p>
Add note at broad group heading	<p>Malignant neoplasms (C00-C97)</p> <p><u>Use additional code (U85), if desired, to identify resistance, non-responsiveness and refractive properties of the neoplasm to antineoplastic drugs</u></p>
Add and revise exclusions	<p>C26.1 Spleen</p> <p><i>Excludes:</i> <u>follicular lymphoma (C82.-)</u> Hodgkin's disease (C81.-) <u>mature T/NK-cell lymphomas (C84.-)</u> non-Hodgkin's lymphoma, <u>other and unspecified types (C82-C85.-)</u></p>
Revise excludes note	<p>C26.1 Spleen</p> <p><i>Excludes:</i> diffuse non-Hodgkin lymphoma non-follicular lymphoma (C83.-)</p>

Instruction	Tabular list entries
Correction of typographical error	C26.1 Spleen <i>Excludes:</i> Hodgkin <u>lymphoma disease</u> -(C81.-)
Revise inclusions	C69.4 Ciliary body <u>Eyeball</u> C69.9 Eye, unspecified <u>Eyeball</u>
Revise excludes note:	C76 Malignant neoplasm of other and ill-defined sites <i>Excludes:</i> ... <ul style="list-style-type: none"> • unspecified site (C80.-)
Revise code	C77.- Secondary and unspecified malignant neoplasm of lymph nodes <i>Excl.:</i> malignant neoplasm of lymph nodes, specified as primary (C81- C87 C86, C96.-)
Revise code title:	C78.7 Secondary malignant neoplasm of liver <u>and intrahepatic bile duct</u>
Revise category title, add codes and exclusions:	C79 Secondary malignant neoplasm of other <u>and unspecified</u> sites C79.8 Secondary malignant neoplasm of other specified sites C79.9 Secondary malignant neoplasm, unspecified site <u>Carcinomatosis (secondary)</u> <u>Generalized (secondary):</u> <ul style="list-style-type: none"> • cancer NOS • <u>malignancy NOS</u> <u>Multiple cancer (secondary) NOS</u> <i>Excludes:</i> <u>disseminated malignant neoplasm, no primary indicated (C80.-)</u>
Delete excludes note and add inclusion terms	C79.9 Secondary malignant neoplasm, unspecified site <u>Disseminated (secondary):</u> <ul style="list-style-type: none"> • cancer NOS • malignancy NOS <u>Generalized (secondary):</u> <ul style="list-style-type: none"> • cancer NOS • malignancy NOS Multiple secondary cancer (secondary) NOS Sarcomatosis (secondary) NOS <i>Excludes:</i> <u>disseminated malignant neoplasm, no primary indicated (C80.-)</u>
Delete	C80 Malignant neoplasm without specification of site

Instruction	Tabular list entries
<p>inclusions at category level, add codes and inclusions</p>	<p> Cancer Carcinoma Carcinomatosis Generalized: <ul style="list-style-type: none"> • cancer • malignancy Malignancy Multiple cancer Malignant cachexia Primary site unknown </p> <p style="margin-left: 150px;">} unspecified site (primary)(secondary)</p> <p> <u>C80.0 Malignant neoplasm, primary site unknown, so stated</u> <u>Primary site unknown</u> <u>C80.9 Malignant neoplasm, unspecified</u> <u>Cancer NOS</u> <u>Carcinoma NOS</u> <u>Malignancy NOS</u> <u>Malignant cachexia NOS</u> </p>
<p>Revise title, add inclusion and exclusion</p>	<p> C80.9 Malignant neoplasm, <u>primary site unspecified</u> Cancer NOS Carcinoma NOS Malignancy NOS Malignant cachexia NOS <u>Multiple cancer NOS</u> Excludes: multiple secondary cancer NOS (C79.9) secondary malignant neoplasm, unspecified site (C79.9) </p>
<p>Delete note and includes at block level.</p>	<p> Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81–C96) Note: The terms used in categories C82–C85 for non-Hodgkin's lymphomas are those of the Working Formulation, which attempted to find common ground among several major classification schemes. The terms used in these schemes are not given in the Tabular List but appear in the Alphabetical Index; exact equivalence with the terms appearing in the Tabular List is not always possible. Includes: morphology codes M959–M994 with behaviour code /3. Excludes: secondary and unspecified neoplasm of lymph nodes (C77.-) </p>

Instruction	Tabular list entries	
Add codes, revise code and category titles, revise inclusions and exclusions	<p>C81 Hodgkin's disease lymphoma <i>Includes:</i> — morphology codes M965-M966 with behaviour code /3</p> <p>C81.0 Lymphocytic predominance Nodular lymphocyte predominant Hodgkin lymphoma Lymphocytic-histiocytic predominance</p> <p>C81.1 Nodular sclerosis <u>classical Hodgkin lymphoma</u></p> <p>C81.2 Mixed cellularity <u>classical Hodgkin lymphoma</u></p> <p>C81.7 <u>Other classical Hodgkin's disease lymphoma</u> Classic Hodgkin lymphoma, type not specified</p> <p>C81.9 <u>Hodgkin's disease lymphoma, unspecified</u></p>	
	Delete code	<p>C82 Follicular [nodular] non-Hodgkin's lymphoma <i>Includes:</i> follicular non-Hodgkin's lymphoma with or without diffuse areas morphology code M969 with behaviour code /3</p> <p>C82.0 Small cleaved cell, f<u>Follicular lymphoma grade I</u></p> <p>C82.1 Mixed small cleaved and large cell, f<u>Follicular lymphoma grade II</u></p> <p>C82.2 Large cell, f<u>Follicular lymphoma grade III, unspecified</u></p> <p>C82.3 <u>Follicular lymphoma grade IIIa</u></p> <p>C82.4 <u>Follicular lymphoma grade IIIb</u></p> <p>C82.5 <u>Diffuse follicle centre lymphoma</u></p> <p>C82.6 <u>Cutaneous follicle centre lymphoma</u></p> <p>C82.7 <u>Other types of follicular non-Hodgkin's lymphoma</u></p> <p>C82.9 <u>Follicular non-Hodgkin's lymphoma, unspecified</u> Nodular non-Hodgkin's lymphoma NOS</p> <p>C83 Diffuse non-Hodgkin's <u>Non-follicular lymphoma</u> <i>Includes:</i> — morphology codes M9593, M9595, M967-M968 with behaviour code /3</p> <p>C83.1 Small cleaved cell (diffuse) <u>Mantle cell lymphoma</u></p>

Instruction	Tabular list entries
	<p><u>Centrocytic lymphoma</u></p> <p><u>Malignant lymphomatous polyposis</u></p>
C83.2	Mixed small and large cell (diffuse)
C83.4	Immunoblastic (diffuse)
C83.5	Lymphoblastic (diffuse)
	<p><u>B-precursor lymphoma</u></p> <p><u>Lymphoblastic B-cell lymphoma</u></p> <p><u>Lymphoblastic lymphoma NOS</u></p> <p><u>Lymphoblastic T-cell lymphoma</u></p> <p><u>T-precursor lymphoma</u></p>
C83.6	Undifferentiated (diffuse)
C83.7	Burkitt's tumour lymphoma
	<p><u>Atypical Burkitt lymphoma</u></p> <p><u>"Burkitt-like" lymphoma</u></p> <p><u>Excludes: mature B-cell leukaemia Burkitt-type (C91.8)</u></p>
C83.8	Other types of diffuse non-Hodgkin's non-follicular lymphoma
	<p><u>Primary effusion B-cell lymphoma</u></p> <p><u>Intravascular large B-cell lymphoma</u></p> <p><u>Lymphoid granulomatosis</u></p> <p><u>Excludes: mediastinal (thymic) large B-cell lymphoma (C85.2)</u></p> <p><u>T-cell rich B-cell lymphoma (C83.3)</u></p>
C83.9	Non-follicular (diffuse) non-Hodgkin's lymphoma, unspecified
C84	Peripheral and cutaneous Mature T/NK-cell lymphomas
	Includes: morphology code M970 with behaviour code /3
C84.0	Mycosis fungoides

Instruction	Tabular list entries
	<p>C84.1 Sézary's disease</p> <p>C84.2 T-zone lymphoma</p> <p>C84.3 Lymphoepithelioid lymphoma Lennert's lymphoma</p> <p>C84.4 Peripheral T-cell lymphoma, <u>not elsewhere classified</u> <u>Lennert's lymphoma</u> <u>Lymphoepithelioid lymphoma</u></p> <p>C84.5 Other and unspecified <u>mature T/NK-cell lymphomas</u> <i>Note:</i> If T-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description. <i>Excludes:</i> <u>angiimmunoblastic T-cell lymphoma (C86.5)</u> <u>blastic NK-cell lymphoma (C86.4)</u> <u>enteropathy-type T-cell lymphoma (C86.2)</u> <u>extranodal NK-cell lymphoma, nasal type (C86.0)</u> <u>hepatosplenic T-cell lymphoma (C86.1)</u> <u>primary cutaneous CD30-positive T-cell proliferations (C86.6)</u> <u>subcutaneous panniculitis-like T-cell lymphoma (C86.3)</u> <u>T-cell leukaemia (C91.-)</u></p> <p>C84.6 <u>Anaplastic large cell lymphoma, ALK-positive</u> <u>Anaplastic large cell lymphoma, CD30-positive</u></p> <p>C84.7 <u>Anaplastic large cell lymphoma, ALK-negative</u> <i>Excludes:</i> <u>primary cutaneous CD30-positive T-cell proliferations (C86.6)</u></p> <p>C84.8 <u>Cutaneous T-cell lymphoma, unspecified</u></p> <p>C84.9 <u>Mature T/NK-cell lymphoma, unspecified</u> <u>NK/T cell lymphoma NOS</u> <i>Excludes:</i> <u>mature T-cell lymphoma, not elsewhere classified (C84.4)</u></p> <p>C85 Other and unspecified types of non-Hodgkin's lymphoma <i>Includes:</i> morphology codes M9590-M9592, M9594, M971 with behaviour code /3</p> <p>C85.0 Lymphosarcoma</p>

Instruction	Tabular list entries
	<p>C85.1 B-cell lymphoma, unspecified <i>Note:</i> If B-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description.</p> <p><u>C85.2 Mediastinal (thymic) large B-cell lymphoma</u></p> <p>C85.7 Other specified types of non-Hodgkin's lymphoma Malignant: ▲ reticuloendotheliosis ▲ reticulosis Microglioma</p> <p>C85.9 Non-Hodgkin's lymphoma, unspecified type Lymphoma NOS Malignant lymphoma NOS Non-Hodgkin's lymphoma NOS</p> <p><u>C86 Other specified types of T/NK-cell lymphoma</u> <i>Excludes :</i> <u>anaplastic large cell lymphoma, ALK negative (C84.7)</u> <u>anaplastic large cell lymphoma, ALK positive (C84.6)</u></p> <p><u>C86.0 Extranodal NK/T-cell lymphoma, nasal type</u></p> <p><u>C86.1 Hepatosplenic T-cell lymphoma</u> <u>Alpha-beta and gamma- delta types</u></p> <p><u>C86.2 Enteropathy-type (intestinal) T-cell lymphoma</u> <u>Enteropathy associated T-cell lymphoma</u></p> <p><u>C86.3 Subcutaneous panniculitis-like T-cell lymphoma</u></p> <p><u>C86.4 Blastic NK-cell lymphoma</u></p> <p><u>C86.5 Angioimmunoblastic T-cell lymphoma</u></p>

Instruction	Tabular list entries
Add new category and codes	<p><u>Angioimmunoblastic lymphadenopathy with dysproteinaemia (AILD)</u></p> <p><u>C86.6</u> <u>Primary cutaneous CD30-positive T-cell proliferations</u> <u>Lymphomatoid papulosis</u> <u>Primary cutaneous anaplastic large-cell lymphoma</u> <u>Primary cutaneous CD30+large T-cell lymphoma</u></p> <p>C88 Malignant immunoproliferative diseases <i>Includes:— morphology code M976 with behaviour code /3</i></p> <p>C88.1 Alpha heavy chain disease</p> <p>C88.2 Gamma<u>Other heavy chain disease</u> Franklin's disease <u>Gamma heavy chain disease</u> <u>Mu heavy chain disease</u></p> <p>C88.3 Immunoproliferative small intestinal disease <u>Alpha heavy chain disease</u> Mediterranean disease lymphoma</p> <p><u>C88.4</u> <u>Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]</u> <i>Note: Use additional code (C83.3) if desired, to specify transition to high malignant (diffuse large cell) lymphoma</i> <u>Lymphoma of skin-associated lymphoid tissue (SALT-lymphoma)</u> <u>Lymphoma of bronchial-associated lymphoid tissue (BALT-lymphoma)</u></p> <p>C88.7 Other malignant immunoproliferative diseases</p> <p>C88.9 Malignant immunoproliferative disease, unspecified Immunoproliferative disease NOS</p> <p>C90 Multiple myeloma and malignant plasma cell neoplasms <i>Includes:— morphology codes M973, M9830 with behaviour code /3</i></p> <p>C90.0 Multiple myeloma Kahler's disease</p>

Instruction	Tabular list entries
	<p><u>Medullary plasmacytoma</u> Myelomatosis <u>Plasma cell myeloma</u> <i>Excludes:</i> solitary myeloma <u>plasmacytoma</u> (C90.23)</p> <p>C90.1 Plasma cell leukaemia <u>Plasmacytic leukaemia</u></p> <p>C90.2 Plasmacytoma, extramedullary Extramedullary plasmacytoma Malignant plasma cell tumour NOS Plasmacytoma NOS Solitary myeloma</p> <p><u>C90.3 Solitary plasmacytoma</u> <u>Localized malignant plasma cell tumour NOS</u> <u>Plasmacytoma NOS</u> <u>Solitary myeloma</u></p> <p>C91 Lymphoid leukaemia <i>Includes:</i> — morphology codes M982, M9940 M9941 with behaviour code /3</p> <p>C91.0 Acute lymphoblastic leukaemia [ALL] <u>Note:</u> This code should only be used for T-cell and B-cell precursor leukaemia <i>Excludes:</i> — acute exacerbation of chronic lymphocytic leukaemia (C91.1)</p> <p>C91.1 Chronic lymphocytic leukaemia of B-cell type <u>Lymphoplasmacytic leukaemia</u> <u>Richter syndrome</u> <i>Excludes:</i> lymphoplasmacytic lymphoma (C83.0)</p> <p>C91.2 Subacute lymphocytic leukaemia</p> <p>C91.3 Prolymphocytic leukaemia of B-cell type</p> <p>C91.4 Hairy-cell leukaemia Leukaemic reticuloendotheliosis</p>

Instruction	Tabular list entries
	<p>C91.5 Adult T-cell lymphoma/leukaemia (HTLV-1-associated) <u>Acute</u> <u>Chronic</u> <u>Lymphomatoid</u> <u>variant</u> <u>Smouldering</u></p>
	<p>C91.6 <u>Prolymphocytic leukaemia of T-cell type</u></p>
	<p>C91.8 <u>Mature B-cell leukaemia Burkitt-type</u> <u>Excludes: Burkitt lymphoma with little or no bone marrow filtration (C83.7)</u></p>
	<p>C91.9 Lymphoid leukaemia, unspecified</p>
	<p>C92 Myeloid leukaemia <i>Includes:</i> leukaemia: <ul style="list-style-type: none"> • granulocytic • myelogenous <u>morphology codes M986-M988, M9930 with behaviour code /3</u></p>
	<p>C92.0 <u>Acute myeloidmyeloblastic leukaemia [AML]</u> <u>Acute myeloblastic leukaemia, minimal differentiation</u> <u>Acute myeloblastic leukaemia (with maturation)</u> <u>AML1/ETO</u> <u>AML M0</u> <u>AML M1</u> <u>AML M2</u> <u>AML with t(8:21)</u> <u>AML (without a FAB classification) NOS</u> <u>Refractory anaemia with excess blasts in transformation</u> <u>Excludes:</u> acute exacerbation of chronic myeloid leukaemia (C92.1)</p>
	<p>C92.2 <u>SubacuteAtypical chronic myeloid leukaemia, BCR/ABL-negative</u></p>
	<p>C92.3 Myeloid sarcoma <u>Note: A tumour of immature myeloid cells.</u></p>

Instruction	Tabular list entries
	<p>Chloroma Granulocytic sarcoma</p>
C92.4	<p>Acute promyelocytic leukaemia [PML] <u>AML M3</u> <u>AML M3 with t(15; 17) and variants</u></p>
C92.5	<p>Acute myelomonocytic leukaemia <u>AML M4</u> <u>AML M4 Eo with inv(16) or t(16;16)</u></p>
<u>C92.6</u>	<p><u>Acute myeloid leukaemia with 11q23-abnormality</u> <u>Acute myeloid leukaemia with variation of MLL-gene</u></p>
C92.7	<p>Other myeloid leukaemia <u>Excludes: chronic eosinophilic leukaemia [hypereosinophilic syndrome] (D47.5)</u></p>
<u>C92.8</u>	<p><u>Acute myeloid leukaemia with multilineage dysplasia</u> <u>Note: Acute myeloid leukaemia with dysplasia of remaining haematopoiesis and/or myelodysplastic disease in its history.</u></p>
C92.9	<p>Myeloid leukaemia, unspecified</p>
C93	<p>Monocytic leukaemia <i>Includes:</i> monocytoïd leukaemia morphology code M989 with behaviour code /3</p>
C93.0	<p>Acute <u>monoblastic/monocytic</u> leukaemia <u>AML M5a</u> <u>AML M5b</u> <u>AML M5</u> <u>Excludes: acute exacerbation of chronic monocytic leukaemia (C93.1)</u></p>
C93.1	<p>Chronic monocytic <u>myelomonocytic</u> leukaemia</p>

Instruction	Tabular list entries
	<p><u>Chronic monocytic leukaemia</u></p> <p><u>CMML-1</u></p> <p><u>CMML-2</u></p> <p><u>CMML with eosinophilia</u></p> <p>C93.2 Subacute monocytic leukaemia</p> <p>C93.3 Juvenile myelomonocytic leukaemia</p> <p>C93.7 Other monocytic leukaemia</p> <p>C93.9 Monocytic leukaemia, unspecified</p> <p>C94 Other leukaemias of specified cell type <i>Includes:</i> — morphology codes M984, M9850, M9900, M9910, M9931 M9932 with behaviour code /3 <i>Excludes:</i> leukaemic reticuloendotheliosis (C91.4) plasma cell leukaemia (C90.1)</p> <p>C94.0 Acute erythraemia and erythroleukaemia <u>erythroid leukaemia</u> <u>Acute myeloid leukaemia, M6 (a)(b)</u> <u>Erythroleukaemia</u> Acute erythraemic myelosis Di Guglielmo's disease</p> <p>C94.1 Chronic erythraemia Heilmeyer-Schöner disease</p> <p>C94.2 Acute megakaryoblastic leukaemia <u>Acute megakaryocytic leukaemia</u> <u>Acute myeloid leukaemia, M7</u> Leukaemia: ▲ megakaryoblastic (acute) ▲ megakaryocytic (acute)</p> <p>C94.3 Mast cell leukaemia</p> <p>C94.4 Acute panmyelosis <u>with myelofibrosis</u> <u>Acute myelofibrosis</u></p>

Instruction	Tabular list entries
C94.5	Acute myelofibrosis
C94.6	Myelodysplastic and myeloproliferative disease, not elsewhere classified
C94.7	Other specified leukaemias <u>Acute basophilic leukaemia</u> <u>Aggressive NK-cell leukaemia</u> <u>Lymphosarcoma cell leukaemia</u>
C95	Leukaemia of unspecified cell type <i>Includes:</i> — morphology code M980 with behaviour code /3
C95.0	Acute leukaemia of unspecified cell type <u>Acute bilineal leukaemia</u> <u>Acute mixed lineage leukaemia</u> <u>Biphenotypic acute leukaemia</u> <u>Blast cell leukaemia</u> <u>Stem cell leukaemia of unclear lineage</u> <i>Excludes:</i> acute exacerbation of unspecified chronic leukaemia (C95.1)
C95.1	Chronic leukaemia of unspecified cell type
C95.2	Subacute leukaemia of unspecified cell type
C95.7	Other leukaemia of unspecified cell type
C95.9	Leukaemia, unspecified
C96	Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue <i>Includes:</i> — morphology codes M972, M974 with behaviour code /3
C96.0	<u>Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis [Letterer-Siwe disease]</u> <u>Histiocytosis X, multisystemic</u> Nonlipid: ▲ reticuloendotheliosis ▲ reticulosis
C96.1	Malignant histiocytosis Histiocytic medullary reticulosis

Instruction	Tabular list entries
	<p>C96.2 Malignant mast cell tumour <u>Aggressive systemic mastocytosis</u> Malignant: <ul style="list-style-type: none"> • mastocytoma • mastocytosis Mast cell sarcoma <i>Excludes:</i> <u>indolent mastocytosis (D47.0)</u> mast cell leukaemia (C94.3) <u>(congenital) mastocytosis (cutaneous) (Q82.2)</u></p> <p>C96.3 True histiocytic lymphoma</p> <p>C96.4 Sarcoma of dendritic cells (accessory cells) <u>Interdigitating dendritic cell sarcoma</u> <u>Langerhans-cell sarcoma</u> Sarcoma of follicular dendritic cells</p> <p>C96.5 Multifocal and unisystemic Langerhans-cell histiocytosis Hand-Schüller-Christian disease <u>Histiocytosis X, multifocal</u></p> <p>C96.6 Unifocal Langerhans-cell histiocytosis <u>Eosinophilic granuloma</u> <u>Histiocytosis X NOS</u> <u>Histiocytosis X, unifocal</u> <u>Langerhans-cell histiocytosis NOS</u></p> <p>C96.7 Other specified malignant neoplasms of lymphoid, haematopoietic and related tissue</p> <p>C96.8 Histiocytic sarcoma <u>Malignant histiocytosis</u></p> <p>C96.9 Malignant neoplasm of lymphoid, haematopoietic and related tissue, unspecified</p>
Revise code title and excludes note	<p>C81.3 Lymphocytic depletion <u>Lymphocyte depleted</u> classical Hodgkin lymphoma</p>

Instruction	Tabular list entries
	<p>C81.4 Lymphocyte-rich classical Hodgkin lymphoma <i>Excludes:</i> <u>nodular</u> lymphocyte predominant Hodgkin lymphoma (C81.0)</p>
<p>Revise code titles by adding parentheses to non-essential modifier</p>	<p>C81 Hodgkin lymphoma C81.0 Nodular lymphocyte predominant Hodgkin lymphoma C81.1 Nodular sclerosis (classical) Hodgkin lymphoma C81.2 Mixed cellularity (classical) Hodgkin lymphoma C81.3 Lymphocyte depleted (classical) Hodgkin lymphoma C81.4 Lymphocyte-rich (classical) Hodgkin lymphoma C81.7 Other (classical) Hodgkin lymphoma C81.9 Hodgkin lymphoma, unspecified</p>
<p>Revise excludes note</p>	<p>C82 Follicular lymphoma <i>Includes:</i> follicular lymphoma with or without diffuse areas <i>Excludes:</i> <u>mature</u>T/NK-cell lymphoma (C84.-)</p>
<p>Revise order of excludes notes</p> <p>Revise excludes note</p> <p>Revise code title</p>	<p>C83.0 Small cell (diffuse) B-cell lymphoma Lymphoplasmacytic lymphoma Nodal marginal zone lymphoma Non-leukaemic variant of B-CLL Splenic marginal zone lymphoma <i>Excludes:</i> chronic lymphocytic leukaemia (C91.1) <u>mature</u> T/NK-cell lymphomas (C84.-) Waldenström macroglobulinaemia(C88.0)</p> <p>C83.3 Diffuse large B-cell lymphoma Anaplastic } CD30-positive} Centroblastic } diffuse large B-cell lymphoma Immunoblastic } Plasmablastic } Subtype not specified} T-cell rich }</p> <p>Reticulum-cell sarcoma <i>Excludes:</i> <u>mature</u> T/NK-cell lymphomas (C84.-) mediastinal (thymic) large B-cell lymphoma (C85.2)</p> <p>C83.5 Lymphoblastic (diffuse) lymphoma</p> <p>C83.9 Non-follicular (diffuse) non-Hodgkin's lymphoma, unspecified</p>

Instruction	Tabular list entries
Revise inclusions by deleting hyphen and plus sign	<p>C86.6 Primary cutaneous CD30-positive T-cell proliferations Lymphomatoid papulosis Primary cutaneous anaplastic large-cell lymphoma Primary cutaneous CD30+ <u>positive</u> large T-cell lymphoma</p>
Revert category title to original Add parenthesis Delete apostrophe	<p>C88 Other B-cell lymphoma Malignant immunoproliferative diseases</p> <p>C88.0 Waldenström's macroglobulinaemia Lymphoplasmacytic lymphoma with IgM-production Macroglobulinaemia (idiopathic)(primary) <i>Excludes:</i> small cell B-cell lymphoma (C83.0)</p> <p>C88.2 Other heavy chain disease Franklin's disease</p>
Change rheumatic to rheumatoid	<p>C91.7 Other lymphoid leukaemia T-cell large granular lymphocytic leukaemia (associated with rheumatic rheumatoid arthritis)</p>
Revise parentheses in code title and add bracket	<p>C91.5 Adult T-cell lymphoma/leukaemia ([HTLV-1-associated]) Acute ↓ Chronic ↓ variant Lymphomatoid ↓ Smouldering ↓</p>
Correct typographical error	<p>C91.8 Mature B-cell leukaemia Burkitt-type <i>Excludes:</i> Burkitt lymphoma with little or no bone marrow <u>in</u>filtration (C83.7)</p>
Revise inclusions by inserting bullet or dot points Revise exclusion	<p>C92.1 Chronic myeloid leukaemia [CML], BCR/ABL-positive <u>Chronic myelogenous leukaemia:</u></p> <ul style="list-style-type: none"> • <u>Philadelphia chromosome (Ph1) positive</u> • <u>t(9:22)(q34; q11)</u> • <u>with crisis of blast cells</u> <p><i>Excludes:</i> atypical chronic myeloid leukaemia, <u>BCR/ABL-negative</u> (C92.2) chronic myelomonocytic leukaemia (C93.1) unclassified myeloproliferative disease (D47.1)</p>
Amend excludes	<p>C96.2 Malignant mast cell tumour <i>Excludes :</i> indolent mastocytosis (D47.0)</p>

Instruction	Tabular list entries
	<p style="text-align: center;"><u>Alkylating agent related myelodysplastic syndrome</u> <u>Epipodophyllotoxin related myelodysplastic syndrome</u> <u>Therapy related myelodysplastic syndrome NOS</u> <u>Excludes: drug induced aplastic anaemia (D61.1)</u></p> <p>D46.0 Refractory anaemia without <u>ring</u> sideroblasts, so stated <u>Note: without sideroblasts, without excess of blasts</u></p> <p>D46.1 Refractory anaemia with <u>ring</u> sideroblasts</p> <p>D46.2 Refractory anaemia with excess of blasts <u>RAEB I</u> <u>RAEB II</u></p> <p>D46.3 Refractory anaemia with excess of blasts with transformation</p> <p>D46.4 Refractory anaemia, unspecified</p> <p><u>D46.5</u> <u>Refractory anaemia with multi-lineage dysplasia</u></p> <p><u>D46.6</u> <u>Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality</u> <u>5 q-minus syndrome</u></p> <p>D46.7 Other myelodysplastic syndromes <u>Excludes: chronic myelomonocytic leukaemia (C93.1)</u></p> <p>D46.9 Myelodysplastic syndrome, unspecified Myelodysplasia NOS Preleukaemia (syndrome) NOS</p> <p>D47 Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue <u>Includes: morphology codes M974, M976, M996 M997 with behaviour code /1</u></p> <p>D47.0 Histiocytic and mast cell tumours of uncertain and unknown behaviour <u>Indolent systemic mastocytosis</u> Mast cell tumour NOS Mastocytoma NOS <u>Systemic mastocytosis, associated with clonal haematopoietic non-mast-cell disease (SM-AHNMD)</u> <u>Excludes: (congenital) mastocytosis (cutaneous) (Q82.2)</u></p>

Instruction	Tabular list entries
	<p>D47.1 Chronic myeloproliferative disease <u>Chronic neutrophilic leukaemia</u> <u>Myelofibrosis (with myeloid metaplasia)</u> Myeloproliferative disease, unspecified <u>Myelosclerosis (megakaryocytic) with myeloid metaplasia</u></p> <p><i>Excludes:</i> atypical chronic myeloid leukaemia , BCR/ABL-negative (C92.2) chronic myeloid leukaemia [CML] BCR/ABL-positive (C92.1)</p> <p>D47.2 Monoclonal gammopathy of undetermined significance (MGUS)</p> <p>D47.3 Essential (haemorrhagic) thrombocythaemia Idiopathic haemorrhagic thrombocythaemia</p> <p><u>D47.4 Osteomyelofibrosis</u> <u>Chronic idiopathic myelofibrosis</u> <u>Myelofibrosis (idiopathic) (with myeloid metaplasia)</u> <u>Myelosclerosis (megakaryocytic) with myeloid metaplasia</u> <u>Secondary myelofibrosis in myeloproliferative disease</u></p> <p><i>Excludes:</i> acute myelofibrosis (C94.4)</p> <p><u>D47.5 Chronic eosinophilic leukaemia [hypereosinophilic syndrome]</u></p> <p>D47.7 Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue <u>Histiocytic tumours of uncertain and unknown behaviour</u></p> <p>D47.9 Neoplasm of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue, unspecified Lymphoproliferative disease NOS</p>
Amend excludes note	<p>D47.0 Histiocytic and mast cell tumours of uncertain and unknown behaviour <i>Excludes:</i> (congenital) mastocytosis (<u>congenital</u>) (cutaneous)(Q82.2)</p>
	<p>D63* Anaemia in chronic diseases classified elsewhere</p> <p>D63.0* Anaemia in neoplastic disease Conditions in Chapter 2 (C00–D48)</p> <p>D63.8* Anaemia in other chronic diseases classified elsewhere</p>

Instruction	Tabular list entries
Add inclusion:	<u>Anaemia in chronic kidney disease ≥ stage 3 (N18.3 – N18.5†)</u>
Revise code in excludes note	<p>D64 Other anaemias <i>Excludes:</i> refractory anaemia:</p> <ul style="list-style-type: none"> • NOS (D46.4) • with excess of blasts (D46.2) • with transformation (D46.3C92.0)
Add code and inclusion terms	<p><u>D68.5</u> <u>Primary Thrombophilia</u> <u>Activated protein C resistance [factor V Leiden mutation]</u> <u>Deficiency:</u> · <u>antithrombin</u> · <u>protein C</u> · <u>protein S</u> <u>Prothrombin gene mutation</u></p>
Add code, inclusion terms and exclusions	<p><u>D68.6</u> <u>Other Thrombophilia</u> <u>Anticardiolipin syndrome</u> <u>Antiphospholipid syndrome</u> <u>Presence of the lupus anticoagulant</u> <i>Excludes:</i> <u>disseminated intravascular coagulation (D65)</u> <u>hyperhomocysteinemia (E72.1)</u></p>
Delete inclusion term	<p>D68.8 Other specified coagulation defects Presence of systemic lupus erythematosus [SLE] inhibitor</p>
Add inclusion term	<p>D70 Agranulocytosis ... Neutropenic splenomegaly <u>Werner-Schultz disease</u></p>
Add exclusion	<p>D72 Other disorders of white blood cells <i>Excludes:</i> <u>abnormal white blood cells (count) (R72)</u> <u>basophilia (D75.8)</u></p>
	<p>D75.1 <u>Secondary polycythaemia</u> Erythrocytosis NOS</p>

Instruction	Tabular list entries
Add inclusion	<p>Polycythaemia:</p> <ul style="list-style-type: none"> • <u>NOS</u> • acquired • due to: <ul style="list-style-type: none"> • erythropoietin • fall in plasma volume • high altitude • stress • emotional • hypoxaemic • nephrogenous • relative <p><i>Excludes:</i> polycythaemia:</p> <ul style="list-style-type: none"> • neonatorum (P61.1) • vera (D45) <p>D75.2 Essential thrombocytosis</p> <p><i>Excludes:</i>— essential (haemorrhagic) thrombocythaemia (D47.3)</p> <p>D75.8 Other specified diseases of blood and blood-forming organs</p> <p>Basophilia</p> <p>D75.9 Disease of blood and blood-forming organs, unspecified</p> <p>D76 CertainOtherspecified diseases involvingwith participation of lymphoreticular tissue and reticulohistiocytic systemtissue</p> <p><i>Excludes:</i> (Abt-)Letterer-Siwe disease (C96.0)</p> <p><u>eosinophilic granuloma (C96.6)</u></p> <p><u>Hand-Schüller-Christian disease (C96.5)</u></p> <p><u>histiocytic sarcoma (C96.8)</u></p> <p><u>histiocytosis X, multifocal (C96.5)</u></p> <p><u>histiocytosis X, unifocal (C96.6)</u></p> <p><u>Langerhans-cell histiocytosis, multifocal (C96.5)</u></p> <p><u>Langerhans-cell histiocytosis, unifocal (C96.6)</u></p> <p>malignant histiocytosis (C96.48)</p> <p>reticuloendotheliosis or reticulosis:</p> <ul style="list-style-type: none"> • histiocytic medullary (C96.49) • leukaemic (C91.4) • lipomelanotic (I89.8)

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • malignant (C85.7) • nonlipid (C96.0) <p>D76.0 Langerhans' cell histiocytosis, not elsewhere classified Eosinophilic granuloma Hand-Schüller-Christian disease Histiocytosis X (chronic)</p> <p>D76.1 Haemophagocytic lymphohistiocytosis Familial haemophagocytic reticulosis Histiocytoses of mononuclear phagocytes other than Langerhans' cells NOS</p>
Add excludes note at block level	<p>Certain disorders involving the immune mechanism (D80-D89) <i>Excludes:</i> autoimmune disease (systemic) NOS (M35.9) functional disorders of polymorphonuclear neutrophils (D71) human immunodeficiency virus [HIV] disease (B20-B24) human immunodeficiency virus [HIV] disease complicating pregnancy childbirth and the puerperium (O98.7)</p>
Revise code title in exclusion	<p>D89 Other disorders involving the immune mechanism, not elsewhere classified <i>Excludes:</i> hyperglobulinaemia NOS (R77.1) monoclonal gammopathy of undertermined significance (MGUS) (D47.2)</p>
Add new code and note	<p>D89 Other disorders involving the immune mechanism, not elsewhere classified D89.3 Immune reconstitution syndrome <u>Use additional external cause code (Chapter XX), if desired, to identify drug.</u></p>
Add inclusion term	<p>D89.3 Immune reconstitution syndrome Immune reconstitution inflammatory syndrome [IRIS]</p>
Add inclusion term	<p>E21 Hyperparathyroidism and other disorders of parathyroid gland E21.2 Other hyperparathyroidism Tertiary hyperparathyroidism <i>Excludes:</i> familial hypocalciuric hypercalcaemia (E83.5)</p>
Add note:	<p>E64 Sequelae of malnutrition and other nutritional deficiencies <u>Note:</u> Not to be used for chronic malnutrition or nutritional deficiency. Code these to current malnutrition or nutritional deficiency.</p>
Add note:	<p>E68 Sequelae of hyperalimentation <u>Note:</u> Not to be used for chronic hyperalimentation. Code these to current hyperalimentation.</p>

Instruction	Tabular list entries
Add inclusion:	<p>E72.0 Disorders of amino-acid transport <u>Cystine storage disease</u>[†] (N29.8*) Cystinosis Cystinuria Fanconi(-de Toni)(-Debré) syndrome Hartnup's disease Lowe's syndrome <i>Excludes:</i> disorders of tryptophan metabolism (E70.8)</p>
Revise code title	<p>E83.3 Disorders of phosphorus metabolism and phosphatases</p> <p>Acid phosphatase deficiency Familial hypophosphataemia Hypophosphatasia Vitamin-D-resistant: · osteomalacia · rickets</p> <p><i>Excludes:</i> adult osteomalacia (M83.-) osteoporosis (M80-M81)</p>
Revise inclusion and exclusion:	<p>E84.1 Cystic fibrosis with intestinal manifestations Meconium ileus <u>in cystic fibrosis</u>⁺ (P75*) <i>Excludes:</i> meconium obstruction (<u>ileus</u>) in cases where cystic fibrosis is known not to be present (P76.0)</p>
Add inclusion term	<p>E84.1 Cystic fibrosis with intestinal manifestations <u>Distal intestinal obstruction syndrome</u> Meconium ileus in cystic fibrosis⁺ (P75*)</p>
Delete inclusion	<p>E84 Cystic fibrosis E84.8 Cystic fibrosis with other manifestations Cystic fibrosis with combined manifestations</p>
Revise code in exclusion at category level and revise exclusions at	<p>E88 Other metabolic disorders Use additional external cause code (Chapter XX) if desired to identify drug, if drug induced. <i>Excludes:</i> Histiocytosis X (chronic) (D76.0C96.6)</p> <p>E88.0 Disorders of plasma-protein metabolism, not elsewhere classified</p>

Instruction	Tabular list entries
code level	Excludes: disorder of lipoprotein metabolism (E79.-) monoclonal gammopathy of <u>undetermined significance (MGUS)</u> D47.2 polyclonal hypergammaglobulinaemia (D89.0) Waldenström's macroglobulinaemia (C88.0)
Add new code:	<u>E88.3 Tumour lysis syndrome</u> <u>Tumour lysis (following antineoplastic drug therapy)(spontaneous)</u>
Add parentheses and add inclusion	F02.8* Dementia in other specified diseases classified elsewhere Dementia (in): <ul style="list-style-type: none"> • cerebral lipidosis (E75.-†) • epilepsy (G40.-†) • hepatolenticular degeneration (E83.0†) • hypercalcaemia (E83.5†) • hypothyroidism, acquired (E01.-†, E03.-†) • intoxications (T36-T65†) • multiple sclerosis (G35†) • neurosyphilis (A52.1†) • niacin deficiency [pellagra] (E52†) • polyarteritis nodosa (M30.0†) • systemic lupus erythematosus (M32.-†) • trypanosomiasis (B56.-†, B57.-†) • <u>uraemia (N18.5†)</u> • vitamin B 12 deficiency (E53.8†)
Add inclusion term	F05.8 Other delirium Delirium of mixed origin <u>Postoperative delirium</u>
Add excludes note	F07.2 Postconcussional syndrome Postcontusional syndrome (encephalopathy) Post-traumatic brain syndrome, nonpsychotic <u>Excludes: current concussion, brain (S06.0)</u>
Page 322 Add	Mental and behavioural disorders due to psychoactive substance abuse (F10-F19)6 Amnesic syndrome ... Korsakov's psychosis or syndrome, alcohol- or other psychoactive substance-induced or unspecified

Instruction	Tabular list entries						
instructional note:	<u>Use additional code, (E51.2†G32.8*), if desired, when associated with Wernicke’s disease or syndrome.</u>						
Revise inclusion term by adding parentheses	<p>Mental and behavioural disorders due to psychoactive substance abuse (F10-F19) ... The following fourth-character subdivisions are for use with categories F10-F19: .0 Acute intoxication Acute drunkenness (in alcoholism)</p>						
Add note	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center; vertical-align: top;">G04.8</td> <td style="padding: 2px;">Other encephalitis, myelitis and Encephalomyelitis</td> </tr> <tr> <td></td> <td style="padding: 2px;">Postinfectious encephalitis and encephalomyelitis NOS</td> </tr> <tr> <td></td> <td style="padding: 2px;"><u>Use additional code, if desired, to identify any associated epileptic seizures. (G40.-).</u></td> </tr> </table>	G04.8	Other encephalitis, myelitis and Encephalomyelitis		Postinfectious encephalitis and encephalomyelitis NOS		<u>Use additional code, if desired, to identify any associated epileptic seizures. (G40.-).</u>
G04.8	Other encephalitis, myelitis and Encephalomyelitis						
	Postinfectious encephalitis and encephalomyelitis NOS						
	<u>Use additional code, if desired, to identify any associated epileptic seizures. (G40.-).</u>						
Revise and add text:	<p>G09 Sequelae of inflammatory diseases of central nervous system <i>Note:</i> This category G09 is to be used to indicate conditions whose primary classification is to G00-G08 (i.e. excluding those marked with an asterisk (*)) as the cause of sequelae, themselves classifiable elsewhere. The “sequelae” include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. For use of this category reference should be made to the relevant morbidity and mortality coding rules and guidelines in Volume 2. <u>Not to be used for chronic inflammatory disease of the central nervous system. Code these to current inflammatory disease of the central nervous system.</u></p>						
Revise instructions	<p>G09 Sequelae of inflammatory diseases of central nervous system</p> <p>Note: Category G09 is to be used to indicate conditions whose primary classification is to G00-G08 (i.e. excluding those marked with an asterisk (*)) as the cause of sequelae, themselves classifiable elsewhere. The “sequelae” include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. For use of this category reference should be made to the relevant morbidity and mortality coding rules and guidelines in Volume 2.</p> <p>Not to be used for chronic inflammatory diseases of the central nervous system. Code these to current inflammatory diseases of the central nervous system.</p>						
Revise block heading and add category	<p>Systemic atrophies primarily affecting the central nervous system(G10-G13G14)</p> <p>G14 <u>Postpolio syndrome</u> <u>Postpolio myelitic syndrome</u></p>						

Instruction	Tabular list entries
	<i>Excludes:</i> sequelae of poliomyelitis (B91)
Add code	G21 Secondary Parkinsonism <u>G21.4 Vascular parkinsonism</u>
Add inclusion	G23.1 Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski] <u>Progressive supranuclear palsy</u>
Add inclusion term	G31.0 Circumscribed brain atrophy <u>Frontotemporal dementia (FTD)</u> Pick's disease Progressive isolated aphasia
Add inclusion term:	G61.0 Guillain-Barré syndrome Acute (post-) infective polyneuritis <u>Miller Fisher Syndrome</u>
Revise code title	G73.1* Eaton-Lambert-Eaton syndrome (C00-D48†)
Add inclusion:	G99.8* Other specified disorders of nervous system in diseases classified elsewhere <u>Uraemic paralysis (N18.5†)</u>
Add inclusions:	H32.8* Other chorioretinal disorders in diseases classified elsewhere <u>Albuminurica retinitis (N18.5†)</u> <u>Renal retinitis (N18.5†)</u>
Revise category title and code titles	H54.- Blindness and low vision Visual impairment including blindness (binocular or monocular) <i>Note:</i> For definition of visual impairment categories see table below. <i>Excludes:</i> amaurosis fugax (G45.3) <u>H54.0 Blindness, both eyes binocular</u> Visual impairment categories 3, 4, 5 in both eyes <u>H54.1 Blindness, one eye, low vision other eye Severe visual impairment, binocular</u> Visual impairment categories 3, 4, 5 in one eye, with categories 1 or 2 in the other eye <u>Visual impairment category 2</u> <u>H54.2 Low vision, both eyes Moderate visual impairment, binocular</u> Visual impairment categories 1 or 2 category 1 in both eyes <u>H54.3 Unqualified visual loss, both eyes Mild or no visual impairment, binocular</u> Visual impairment category 9 in both eyes category 0 <u>H54.4 Blindness, one eye monocular</u> Visual impairment categories 3, 4, 5 in one eye normal vision in other eye and categories 0, 1, 2 or 9 in the other eye.

Instruction	Tabular list entries																																									
	<p>H54.5 Low vision, one eyeSevere visual impairment, monocular Visual impairment categories 1 or 2 in one eye [normal vision in other eye]category 2 in one eye and categories 0, 1 or 9 in other eye</p> <p>H54.6 Unqualified visual loss, one eyeModerate visual impairment, monocular Visual impairment category 9 in one eye [normal vision in other eye]category 1 in one eye and categories 0 or 9 in other eye</p> <p>H54.7 Unspecified visual loss Visual impairment category 9-NOS</p> <p>H54.9 Unspecified visual impairment (binocular) Visual impairment category 9</p> <p>Note: The table below gives a classification of severity of visual impairment recommended by a WHO study group on the Prevention of Blindness, Geneva, 6-10 November 1972, the Resolution of the International Council of Ophthalmology (2002) and the Recommendations of the WHO Consultation on "Development of Standards for Characterization of Vision Loss and Visual Functioning" (Sept 2003)</p> <p>The term "low vision" in category H54 comprises categories 1 and 2 of the table, the term "blindness" categories 3, 4 and 5, and the term "unqualified visual loss" category 9. For characterizing visual impairment for codes H54.0 to H54.3, visual acuity should be measured with both eyes open with presenting correction if any. For characterizing visual impairment for codes H54.4 to H54.6, visual acuity should be measured monocularly with presenting correction if any.</p> <p>If the extent of the visual field is taken into account, patients with a visual field no greater than 10° but greater than 5° around central fixation should be placed in category 3 and patients with a field no greater than 5° around central fixation should be placed in category 4, even if the central acuity is not impaired. of the better eye no greater than 10° in radius around central fixation should be placed under category 3. For monocular blindness (H54.4), this degree of field loss would apply to the affected eye.</p> <p>Table 1 Proposed revision of categories of visual impairment</p> <table border="1"> <thead> <tr> <th rowspan="2">Category</th> <th colspan="2">Presenting distance visual acuity</th> </tr> <tr> <th>Worse than:</th> <th>Equal to or better than:</th> </tr> </thead> <tbody> <tr> <td><u>Mild or no visual impairment</u></td> <td></td> <td><u>6/18</u></td> </tr> <tr> <td><u>0</u></td> <td></td> <td><u>3/10 (0.3)</u></td> </tr> <tr> <td><u>Moderate visual impairment</u></td> <td><u>6/18</u></td> <td><u>6/60</u></td> </tr> <tr> <td><u>1</u></td> <td><u>3/10 (0.3)</u></td> <td><u>1/10 (0.1)</u></td> </tr> <tr> <td><u>Severe visual impairment</u></td> <td><u>20/70</u></td> <td><u>20/200</u></td> </tr> <tr> <td><u>2</u></td> <td><u>6/60</u></td> <td><u>3/60</u></td> </tr> <tr> <td><u>Blindness</u></td> <td><u>1/10 (0.1)</u></td> <td><u>1/20 (0.05)</u></td> </tr> <tr> <td><u>3</u></td> <td><u>20/200</u></td> <td><u>20/400</u></td> </tr> <tr> <td></td> <td><u>3/60</u></td> <td><u>1/60*</u></td> </tr> <tr> <td></td> <td><u>1/20 (0.05)</u></td> <td><u>1/50 (0.02)</u></td> </tr> <tr> <td></td> <td><u>20/400</u></td> <td><u>5/300 (20/1200)</u></td> </tr> <tr> <td><u>Blindness</u></td> <td><u>1/60*</u></td> <td><u>Light perception</u></td> </tr> </tbody> </table>	Category	Presenting distance visual acuity		Worse than:	Equal to or better than:	<u>Mild or no visual impairment</u>		<u>6/18</u>	<u>0</u>		<u>3/10 (0.3)</u>	<u>Moderate visual impairment</u>	<u>6/18</u>	<u>6/60</u>	<u>1</u>	<u>3/10 (0.3)</u>	<u>1/10 (0.1)</u>	<u>Severe visual impairment</u>	<u>20/70</u>	<u>20/200</u>	<u>2</u>	<u>6/60</u>	<u>3/60</u>	<u>Blindness</u>	<u>1/10 (0.1)</u>	<u>1/20 (0.05)</u>	<u>3</u>	<u>20/200</u>	<u>20/400</u>		<u>3/60</u>	<u>1/60*</u>		<u>1/20 (0.05)</u>	<u>1/50 (0.02)</u>		<u>20/400</u>	<u>5/300 (20/1200)</u>	<u>Blindness</u>	<u>1/60*</u>	<u>Light perception</u>
Category	Presenting distance visual acuity																																									
	Worse than:	Equal to or better than:																																								
<u>Mild or no visual impairment</u>		<u>6/18</u>																																								
<u>0</u>		<u>3/10 (0.3)</u>																																								
<u>Moderate visual impairment</u>	<u>6/18</u>	<u>6/60</u>																																								
<u>1</u>	<u>3/10 (0.3)</u>	<u>1/10 (0.1)</u>																																								
<u>Severe visual impairment</u>	<u>20/70</u>	<u>20/200</u>																																								
<u>2</u>	<u>6/60</u>	<u>3/60</u>																																								
<u>Blindness</u>	<u>1/10 (0.1)</u>	<u>1/20 (0.05)</u>																																								
<u>3</u>	<u>20/200</u>	<u>20/400</u>																																								
	<u>3/60</u>	<u>1/60*</u>																																								
	<u>1/20 (0.05)</u>	<u>1/50 (0.02)</u>																																								
	<u>20/400</u>	<u>5/300 (20/1200)</u>																																								
<u>Blindness</u>	<u>1/60*</u>	<u>Light perception</u>																																								

Instruction	Tabular list entries																								
	<p>4 <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u> <u>Blindness</u> <u>No light perception</u> <u>5</u> <u>9</u> <u>Undetermined or unspecified</u> <u>* Or counts fingers (CF) at 1 metre.</u></p> <p>Note: The term visual impairment in category H54 comprises category 0 for mild or no visual impairment, category 1 for moderate visual impairment, category 2 for severe visual impairment, categories 3, 4 and 5 for blindness and category 9 for unqualified visual impairment. The term "low vision" included in the previous revision has been replaced by categories 1 and 2 to avoid confusion with those requiring low vision care.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="text-align: center;"><u>Category of visual impairment</u></th> <th colspan="2" style="text-align: center;"><u>Visual acuity with best possible correction</u></th> </tr> <tr> <td></td> <td colspan="2" style="text-align: center;"><u>Maximum less than: Minimum equal to or better than:</u></td> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><u>1</u></td> <td><u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u></td> <td><u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u></td> </tr> <tr> <td style="text-align: center;"><u>2</u></td> <td><u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u></td> <td><u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u></td> </tr> <tr> <td style="text-align: center;"><u>3</u></td> <td><u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u></td> <td><u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u></td> </tr> <tr> <td style="text-align: center;"><u>4</u></td> <td><u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u></td> <td><u>Light perception</u></td> </tr> <tr> <td></td> <td colspan="2"><u>5 No light perception</u></td> </tr> <tr> <td></td> <td colspan="2"><u>9 Undetermined or unspecified</u></td> </tr> </tbody> </table>	<u>Category of visual impairment</u>	<u>Visual acuity with best possible correction</u>			<u>Maximum less than: Minimum equal to or better than:</u>		<u>1</u>	<u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>2</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>3</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u>	<u>4</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u>	<u>Light perception</u>		<u>5 No light perception</u>			<u>9 Undetermined or unspecified</u>	
<u>Category of visual impairment</u>	<u>Visual acuity with best possible correction</u>																								
	<u>Maximum less than: Minimum equal to or better than:</u>																								
<u>1</u>	<u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>																							
<u>2</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>																							
<u>3</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u>																							
<u>4</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u>	<u>Light perception</u>																							
	<u>5 No light perception</u>																								
	<u>9 Undetermined or unspecified</u>																								
Add inclusion terms	<p>H59.8 Other postprocedural disorders of eye and adnexa <u>Bleb associated endophthalmitis</u> <u>Inflammation (infection) of postprocedural bleb</u></p>																								

Instruction	Tabular list entries
Revise inclusion:	<p style="text-align: center;"><u>Postprocedural blebitis</u></p> <p>I12 Hypertensive renal disease</p> <p>Includes: any condition in N18.-, N19, or N26 with any condition in I10 <u>due to hypertension</u> arteriosclerosis of kidney arteriosclerotic nephritis (chronic)(interstitial) hypertensive nephropathy nephrosclerosis</p> <p>Excludes: secondary hypertension (I15.-)</p> <p>I12.0 Hypertensive renal disease with renal failure Hypertensive renal failure</p> <p>I12.9 Hypertensive renal disease without renal failure Hypertensive renal disease NOS</p>
Revise inclusions and add note:	<p>Ischaemic heart diseases (I20–I25)</p> <p>Note: For morbidity, duration as used in categories I21–I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.</p> <p>Includes: with mention of hypertension (I10–I15)</p> <p><i>Use additional code, if desired, to identify presence of hypertension.</i></p> <p>I22 Subsequent myocardial infarction</p> <p>Includes: recurrent myocardial infarction: <u>extension</u> <u>recurrent</u> <u>reinfarction</u></p> <p>Note: For morbidity coding, this category should be assigned for infarction of any myocardial site, occurring within 4 weeks (28 days) from <u>onset of a previous infarction</u></p> <p>Excludes: specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset (I25.8)</p>
Revise code range	<p>Ischaemic heart diseases (I20–I25)</p> <p>Note: For morbidity, duration as used in categories I21–I25 I21, I22, I24 and I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.</p>
Add inclusion	<p>I20.8 Other forms of angina pectoris</p>

Instruction	Tabular list entries
	<p>Angina of effort <u>Coronary slow flow syndrome</u> Stenocardia</p>
Revise inclusions	<p>I41.1 Myocarditis in viral diseases classified elsewhere Influenzal myocarditis (acute) (J09†, J10.8†, J11.8†) • avian influenza virus identified (J09†) • other virus identified (J10.8†) • virus not identified (J11.8†) Mumps myocarditis (B26.8†)</p>
Add inclusion and exclusion terms	<p>I45.8 Other specified conduction disorders Atrioventricular [AV] dissociation Interference dissociation <u>long QT syndrome</u> <u>Excludes: prolongation of QT interval (R94.3)</u></p>
Revise inclusions	<p>I47.1 Supraventricular tachycardia Paroxysmal Tachycardia (<u>paroxysmal</u>): • atrial • atrioventricular [AV]: • <u>NOS</u> • <u>re-entrant (nodal) [AVNRT] [AVRT]</u> • junctional • nodal</p>
Add new codes and inclusion terms	<p>I48 Atrial fibrillation and flutter <u>I48.0 Paroxysmal atrial fibrillation</u> <u>I48.1 Persistent atrial fibrillation</u> <u>I48.2 Chronic atrial fibrillation</u> <u>I48.3 Typical atrial flutter</u> Type I atrial flutter <u>I48.4 Atypical atrial flutter</u> Type II atrial flutter <u>I48.9 Atrial fibrillation and atrial flutter, unspecified</u></p>
Add inclusion:	<p>I68.8* Other cerebrovascular disorders in diseases classified elsewhere <u>Uraemic apoplexia in chronic kidney disease (N18.5†)</u></p>
Revise and add text:	<p>I69 Sequelae of cerebrovascular disease <i>Note:</i> This category I69 is to be used to indicate <u>previous episodes of conditions in I60-I67I60-I67.1 and I67.4-I67.9</u> as the cause of sequelae, themselves classified elsewhere. The “sequelae” include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition.</p>

Instruction	Tabular list entries
	<u>Not to be used for chronic cerebrovascular disease. Code these to I60-I67.</u>
<p>Add note and subdivisions at category level</p>	<p>I70 Atherosclerosis ... <u>The following supplementary classification to indicate the presence or absence of gangrene is provided for optional use.</u> <u>0 without gangrene</u> <u>1 with gangrene</u></p> <p><i>Excludes:</i> cerebral (I67.2) coronary (I25.1) mesenteric (K55.1) pulmonary (I27.0)</p>
<p>Revise supplementary subclassification on note</p>	<p>I70 Atherosclerosis <i>Includes:</i> arteriosclerosis arteriosclerosis arteriosclerotic vascular disease atheroma degeneration: • arterial • arteriovascular • vascular endarteritis deformans or obliterans senile: • arteritis • endarteritis</p> <p><i>Excludes:</i> cerebral (I67.2) coronary (I25.1) mesenteric (K55.1) pulmonary (I27.0)</p> <p>The following supplementary classification to indicate the presence or absence of gangrene is provided for optional use <u>with appropriate subcategories in I70.</u> 0 without gangrene 1 with gangrene</p>
<p>Revise category title, code titles, add exclusion at category</p>	<p>I72 Other aneurysm and dissection <i>Includes:</i> aneurysm (cirroid)(false)(ruptured) <i>Excludes:</i> aneurysm (of): • aorta (I71.-) • arteriovenous NOS (Q27.3)</p>

Instruction	Tabular list entries
level, and exclusion at code level:	<ul style="list-style-type: none"> • acquired (I77.0) • cerebral (nonruptured) (I67.1) • ruptured (I60.-) • coronary (I25.4) • heart (I25.3) • pulmonary artery (I28.1) • retinal (H35.0) • varicose (I77.0) <p><u>dissection of precerebral artery, congenital (nonruptured) (Q28.1)</u></p> <p>I72.0 Aneurysm and dissection of carotid artery I72.1 Aneurysm and dissection of artery of upper extremity I72.2 Aneurysm and dissection of renal artery I72.3 Aneurysm and dissection of iliac artery I72.4 Aneurysm and dissection of artery of lower extremity I72.5 Aneurysm and dissection of other precerebral arteries <u>Excludes:</u> Aneurysm and dissection of carotid artery (I72.0)</p> <p>I72.8 Aneurysm and dissection of other specified arteries I72.9 Aneurysm and dissection of unspecified site</p>
Amend excludes note and add inclusion	<p>I72.5 Aneurysm and dissection of other precerebral arteries <u>Aneurysm and dissection of basilar artery (trunk)</u> <u>Excludes:</u> aneurysm and dissection of carotid artery (I72.0);</p> <ul style="list-style-type: none"> • <u>carotid artery (I72.0)</u> • <u>vertebral artery (I72.6)</u>
Add new code	<p><u>I72.6 Aneurysm and dissection of vertebral artery</u></p>
Delete category and codes	<p>I84 — Haemorrhoids Includes: piles varicose veins of anus and rectum Excludes: complicating: • childbirth and the puerperium (O87.2) • pregnancy (O22.4) I84.0 — Internal thrombosed haemorrhoids I84.1 — Internal haemorrhoids with other complications Internal haemorrhoids: • bleeding • prolapsed • strangulated</p>

Instruction	Tabular list entries
	<p> ▲ ulcerated I84.2 — Internal haemorrhoids without complication —— Internal haemorrhoids NOS I84.3 — External thrombosed haemorrhoids Perianal haematoma (nontraumatic) Perinal thrombosis— I84.4 — External haemorrhoids with other complications External haemorrhoids: ▲ bleeding ▲ prolapsed ▲ strangulated ▲ ulcerated I84.5 — External haemorrhoids without complication External haemorrhoids NOS I84.6 — Residual haemorrhoidal skin tags Skin tags of anus or rectum I84.7 — Unspecified thrombosed haemorrhoids Thrombosed haemorrhoids, unspecified whether internal or external I84.8 — Unspecified haemorrhoids with other complications Haemorrhoids, unspecified whether internal or external: ▲ bleeding ▲ prolapsed ▲ strangulated ▲ ulcerated I84.9 — Unspecified haemorrhoids without complication Haemorrhoids NOS </p>
<p>Revise code title and add inclusion term</p>	<p> I87.0 Postphlebitic Postthrombotic syndrome <u>Postphlebitic syndrome</u> </p>
<p>Modify code title</p> <p>Add new code and</p>	<p> <u>I98.2*</u> Oesophageal varices <u>without bleeding</u> in diseases classified elsewhere Oesophageal varices in: <ul style="list-style-type: none"> • liver disorders (K70-K71†, K74.-†) • schistosomiasis (B65.-†) <u>I98.3*</u> Oesophageal varices with bleeding in diseases classified elsewhere Oesophageal varices in: <ul style="list-style-type: none"> • <u>liver disorders (K70-K71†), K74.-†</u> </p>

Instruction	Tabular list entries
inclusions:	<ul style="list-style-type: none"> • <u>schistosomiasis (B65.-†)</u>
Revise category title and definition	<p>J09 Influenza due to certain identified Avian influenza virus Influenza caused by influenza viruses that normally infect only birds and, less commonly, other animals <u>Influenza caused by influenza virus strains of special epidemiological importance with an animal-human or inter-human transmission limited to the inclusions.</u></p> <p><u>Note: Additional virus strains may only be included upon recommendation by WHO.</u></p> <p><u>Includes: Influenza A/H1N1 pandemic2009 [swine flu]</u> <u>Influenza A/H5N1 epidemic [avian influenza]</u></p> <p><u>Use additional code, if desired, to identify pneumonia or other manifestations.</u></p> <p><u>Excludes: Haemophilus influenzae [H. influenzae]:</u> <ul style="list-style-type: none"> · infection NOS (A49.2) · meningitis (G00.0) · pneumonia (J14) </p>
Add new code	<p>J12 Viral pneumonia, not elsewhere classified J12.3 Human metapneumovirus pneumonia</p>
Revise indentations in excludes note	<p>J12 Viral pneumonia, not elsewhere classified Excludes: congenital rubella pneumonitis (P35.0) pneumonia:</p> <ul style="list-style-type: none"> • aspiration (due to): <ul style="list-style-type: none"> • NOS (J69.0) • anaesthesia during: <ul style="list-style-type: none"> • labour and delivery (O74.0) • pregnancy (O29.0) • puerperium (O89.0) • <u>neonatal (P24.9)</u> • <u>solids and liquids (J69.-)</u> • neonatal (P24.9) • solids and liquids (J69.-) <ul style="list-style-type: none"> • congenital (P23.0) • in influenza (J09 , J10.0 , J11.0) • interstitial NOS (J84.9)

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • lipid (J69.1) severe acute respiratory syndrome [SARS] (U04.9)
Add excludes note	<p>J18 Pneumonia, organism unspecified</p> <p><i>Excludes:</i> abscess of lung with pneumonia (J85.1) drug-induced interstitial lung disorders (J70.2–J70.4) pneumonia:</p> <ul style="list-style-type: none"> • aspiration (due to): • NOS (J69.0) • anaesthesia during: • labour and delivery (O74.0) • pregnancy (O29.0) • puerperium (O89.0) • neonatal (P24.9) • solids and liquids (J69.-) • congenital (P23.9) • interstitial NOS (J84.9) • lipid (J69.1) • usual interstitial (J84.1) pneumonitis, due to external agents (J67–J70)
Add new code	<p>J21 Acute bronchiolitis J21.1 Acute bronchiolitis due to human metapneumovirus</p>
Revise code:	<p>J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection <i>Excludes:</i> with influenza (J98J09–J11)</p>
Add inclusion term	<p>J84.1 Other interstitial pulmonary diseases with fibrosis Diffuse pulmonary fibrosis Fibrosing alveolitis (cryptogenic) Hamman-Rich syndrome Idiopathic pulmonary fibrosis <u>Usual interstitial pneumonia</u></p> <p><i>Excludes:</i> pulmonary fibrosis (chronic):</p> <ul style="list-style-type: none"> • due to inhalation of chemicals, gases, fumes or vapours (J68.4) • following radiation (J70.1)
Add supplementar	<p>J96 Respiratory failure, not elsewhere classified <u>The following supplementary subclassification is provided for optional use with category J96.</u></p>

Instruction	Tabular list entries
y subclassification	<p> <u>0 Type I [hypoxic]</u> <u>1 Type II [hypercapnic]</u> <u>9 Type unspecified</u> Excludes: cardiorespiratory failure (R09.2) postprocedural respiratory failure (J95.-) respiratory: • arrest (R09.2) • distress: • syndrome of adult (J80) • in newborn (P22.-) </p> <p> J96.0 Acute respiratory failure J96.1 Chronic respiratory failure J96.9 Respiratory failure, unspecified </p>
Revise category range at chapter level	<p> Chapter XI Diseases of the digestive system (K00-K93) This chapter contains the following blocks: ... K55-K63<u>K64</u> Other diseases of intestines </p>
Add new code	<p> K02 Dental Caries <u>K02.5 Caries with pulp exposure</u> </p>
Revise inclusion terms	<p> K04.0 Pulpitis Pulpal: abscess polyp Pulpitis: <u>· NOS</u> · acute · chronic (hyperplastic)(ulcerative) suppurative · <u>irreversible</u> · <u>reversible</u> </p>
Add inclusion	<p> K08.8 Other specified disorders of teeth and supporting structures <u>Alveolar (process) cleft</u> </p>

Instruction	Tabular list entries
	<p>Enlargement of the alveolar ridge NOS Irregular alveolar process Toothache NOS</p>
Delete inclusion term	<p>K09.0 Developmental odontogenic cysts Keratoeyst</p>
Revise inclusions	<p>K09.1 Developmental (nonodontogenic) cysts of oral region Cyst (of): - globulomaxillary · nasopalatine nasolabial [nasalveolar] · incisive canal nasopalatine duct [incisive canal] - median palatal - palatine papilla</p>
Revise inclusions	<p>K09.8 Other cysts of oral region, not elsewhere classified Dermatoid cyst Epidermoid cyst Lymphoepithelial cyst Epstein's pearl Nasalveolar cyst Nasolabial cyst</p> <p style="text-align: right;">of mouth</p>
Add a new code, inclusion and exclusion terms and notes	<p>K12 Stomatitis and related lesions</p> <p><u>K12.3 Oral mucositis (ulcerative)</u></p> <p><u>Mucositis(oral) (oropharyngeal):</u></p> <ul style="list-style-type: none"> · <u>NOS</u> · <u>drug-induced</u> · <u>radiation induced</u> · <u>viral</u> <p><u>Use additional external cause code (Chapter XX), if desired, to identify external agent</u></p> <p><u>Excludes: mucositis (ulcerative) of:</u></p> <ul style="list-style-type: none"> · <u>nose and nasal sinuses (J34.8)</u> · <u>vagina and vulva (N76.8)</u> · <u>gastrointestinal tract (except oral cavity and oropharynx) (K92.8)</u>

Instruction	Tabular list entries
Delete exclusions and last bullet	<p>K12.3 Oral mucositis (ulcerative) <i>Excludes:</i> mucositis (ulcerative) of:</p> <ul style="list-style-type: none"> • nose and nasal sinuses (J34.8) • vagina and vulva (N76.8) • gastrointestinal tract (except oral cavity and oropharynx) (K92.8)
Revise category title	<p>K30 Dyspepsia <u>Functional dyspepsia</u> Indigestion Excludes: dyspepsia:</p> <ul style="list-style-type: none"> · nervous (F45.3) · neurotic (F45.3) · psychogenic (F45.3) heartburn (R12)
Revise and add codes:	<p>K35 Acute appendicitis K35.0 Acute appendicitis with generalized peritonitis Appendicitis (acute) with:</p> <ul style="list-style-type: none"> • perforation • peritonitis (generalized) (localized) following rupture or perforation • rupture <p>K35.1 Acute appendicitis with peritoneal abscess Abscess of appendix</p> <p><u>K35.2 Acute appendicitis with generalized peritonitis</u> <u>Appendicitis (acute) with generalized (diffuse) peritonitis following rupture or perforation</u></p> <p><u>K35.3 Acute appendicitis with localized peritonitis</u> <u>Acute appendicitis with localized peritonitis with or without rupture or perforation</u> <u>Acute appendicitis with peritoneal abscess</u></p> <p><u>K35.8 Acute appendicitis, other and unspecified</u> <u>Acute appendicitis without mention of localized or generalized peritonitis</u></p> <p><u>K35.9 Acute appendicitis, unspecified</u> <u>Acute appendicitis with peritonitis, localized or NOS</u> Acute appendicitis without:</p>

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • generalized peritonitis • perforation • peritoneal abscess • rupture
Revise inclusion	<p>K35.3 Acute appendicitis with localized peritonitis Acute appendicitis (<u>with or without perforation or rupture</u>) with localized peritonitis with or without rupture or perforation:</p> <ul style="list-style-type: none"> • <u>NOS</u> • <u>localized</u> <p>Acute appendicitis with peritoneal abscess</p>
Revise code titles, add codes and revise code titles and inclusions	<p><u>K43.0 Ventral-Incisional hernia with obstruction, without gangrene</u> Ventral-Incisional hernia:</p> <ul style="list-style-type: none"> • causing obstruction } • incarcerated } without gangrene • irreducible } • strangulated } <p><u>K43.1 Ventral-Incisional hernia with gangrene</u> Gangrenous ventral-incisional hernia</p> <p><u>K43.2 Incisional hernia without obstruction or gangrene</u> Incisional hernia NOS</p> <p><u>K43.3 Parastomal hernia with obstruction, without gangrene</u> Parastomal hernia:</p> <ul style="list-style-type: none"> • <u>causing obstruction</u> } • <u>incarcerated</u> } without gangrene • <u>irreducible</u> } • <u>strangulated</u> } <p><u>K43.4 Parastomal hernia with gangrene</u> Gangrenous parastomal hernia</p> <p><u>K43.5 Parastomal hernia without obstruction or gangrene</u> Parastomal hernia NOS</p> <p><u>K43.6 Other and unspecified ventral hernia with obstruction, without gangrene</u> Hernia:</p>

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • <u>epigastric</u> • <u>hypogastric</u> • <u>midline</u> • <u>spigelian</u> • <u>subxiphoid</u> <p><u>Any condition listed under K43.6</u></p> <ul style="list-style-type: none"> • <u>causing obstruction</u> } • <u>incarcerated</u> } without gangrene • <u>irreducible</u> } • <u>strangulated</u> } <p>K43.7 Other and unspecified ventral hernia with gangrene <u>Any condition listed under K43.6 specified as gangrenous</u></p> <p>K43.9 Other and unspecified ventral hernia without obstruction or gangrene Ventral hernia NOS</p>
Revise Modify code title, add inclusion term Delete code Modify code title Modify code title Delete includes	<p>K51 Ulcerative colitis</p> <p>K51.0 Ulcerative (chronic) enterocolitispancolitis Includes: backwash ileitis</p> <p>K51.1 Ulcerative (chronic) ileocolitis</p> <p>K51.2 Ulcerative (chronic) proctitis</p> <p>K51.3 Ulcerative (chronic) rectosigmoiditis</p> <p>K51.4 Pseudopolypsis of colon Inflammatory polyps {Pseudopolypsis of colon}</p> <p>K51.5 Left sided colitis Mucosal proctocolitis Includes: left hemicolitis</p> <p>K51.8 Other ulcerative colitis</p> <p>K51.9 Ulcerative colitis, unspecified Ulcerative enteritis NOS</p>
Revise	<p>K52 Other noninfective gastroenteritis and colitis</p> <p>K52.0 Gastroenteritis and colitis due to radiation</p> <p>K52.1 Toxic gastroenteritis and colitis Use additional external cause code (Chapter XX), if desired, to identify toxic agent.</p> <p>K52.2 Allergic and dietetic gastroenteritis and colitis Food hypersensitivity gastroenteritis or colitis</p> <p>K52.3 Indeterminate colitis</p>

Instruction	Tabular list entries
<p>Add code</p> <p>Modify inclusion terms</p> <p>Modify exclusion note and add revised codes</p>	<p>K52.8 Other specified noninfective gastroenteritis and colitis Eosinophilic gastritis or gastroenteritis</p> <p>K52.9 Noninfective gastroenteritis and colitis, unspecified Diarrhoea Enteritis specified as noninfective<u>noninfectious</u>, or NOS Ileitis } in countries where the conditions can be Jejunitis <u>presumed to be of non-infectious origin</u> Sigmoiditis </p> <p>Excludes: colitis, diarrhoea, enteritis, gastroenteritis: - infectious (<u>A09.0</u>) - unspecified in countries where the condition can be presumed to be of infectious origin (A09)<u>origin (A09.9)</u> functional diarrhoea (K59.1) neonatal diarrhoea (noninfective) (P78.3) psychogenic diarrhoea (F45.3)</p>
<p>Add inclusion and revise note</p>	<p>K52 Other noninfective gastroenteritis and colitis</p> <p>K52.1 Toxic gastroenteritis and colitis <u>Drug-induced gastroenteritis and colitis</u></p> <p>Use additional external cause code (Chapter XX), if desired, to identify <u>drug, if drug-induced, or toxic agent</u></p>
<p>Add inclusion terms</p>	<p>K52.8 Other specified noninfective gastroenteritis and colitis <u>Collagenous colitis</u> Eosinophilic gastritis or gastroenteritis <u>Lymphocytic colitis</u> <u>Microscopic colitis (collagenous colitis or lymphocytic colitis)</u></p>
<p>Revise category range at block level</p>	<p>Other diseases of intestines (K55-K63<u>K64</u>)</p>
<p>Revise excludes note at code level</p>	<p>K59.3 Megacolon, not elsewhere classified Excludes: megacolon (<u>due to</u>)(in): • Chagas' disease (B57.3) • <u>Clostridium difficile</u> (A04.7) • congenital (aganglionic) (Q43.1) • Hirschsprung's disease (Q43.1)</p>
<p>Revise code</p>	<p>K62 Other diseases of anus and rectum</p>

Instruction	Tabular list entries
in exclusion	<p><i>Includes:</i> anal canal <i>Excludes:</i> colostomy and enterostomy malfunction (K91.4) faecal incontinence (R15) haemorrhoids (H84. K64.-) ulcerative proctitis (K51.2)</p>
Revise codes in exclusion	<p>K63.0 Abscess of intestine <i>Excludes:</i> abscess of: • anal and rectal regions (K61.-) • appendix (K35. K35.3) with diverticular disease (K57.-)</p> <p>K63.1 Perforation of intestine (nontraumatic) <i>Excludes:</i> perforation (nontraumatic) of: • appendix (K35.0 K35.2, K35.3) • duodenum (K26.-) with diverticular disease (K57.-)</p>
Add new category and codes	<p><u>K64 Haemorrhoids and perianal venous thrombosis</u> <i>Includes:</i> piles <i>Excludes:</i> complicating: • childbirth and the puerperium (O87.2) • pregnancy (O22.4)</p> <p><u>K64.0 First degree haemorrhoids</u> <u>Grade/stage I haemorrhoids</u> <u>Haemorrhoids (bleeding) without prolapse outside of anal canal</u></p> <p><u>K64.1 Second degree haemorrhoids</u> <u>Grade/stage II haemorrhoids</u> <u>Haemorrhoids (bleeding) that prolapse with straining, but retract spontaneously</u></p> <p><u>K64.2 Third degree haemorrhoids</u> <u>Grade/stage III haemorrhoids</u> <u>Haemorrhoids (bleeding) that prolapse with straining and require manual replacement back inside anal canal</u></p> <p><u>K64.3 Fourth degree haemorrhoids</u> <u>Grade/stage IV haemorrhoids</u></p>

Instruction	Tabular list entries
	<p><u>Haemorrhoids (bleeding) with prolapsed tissue that cannot be manually replaced</u></p> <p><u>K64.4 Residual haemorrhoidal skin tags</u> <u>Skin tags of anus or rectum</u></p> <p><u>K64.5 Perianal venous thrombosis</u> <u>Perianal haematoma</u></p> <p><u>K64.8 Other specified haemorrhoids</u></p> <p><u>K64.9 Haemorrhoids, unspecified</u> <u>Haemorrhoids (bleeding):</u> <ul style="list-style-type: none"> • NOS • without mention of degree </p>
Revise inclusion	<p>K64.4 Residual haemorrhoidal skin tags Skin tags of anus or rectum</p>
Delete inclusion at category level	<p>K72 Hepatic failure, not elsewhere classified <i>Includes:</i> hepatic: <ul style="list-style-type: none"> • coma NOS • encephalopathy NOS hepatitis: <ul style="list-style-type: none"> • acute } • fulminant } NEC, with hepatic failure • malignant } liver (cell) necrosis with hepatic failure yellow liver atrophy or dystrophy</p> <p><i>Excludes:</i> . . .</p>
Add inclusion	<p>K72.0 Acute and subacute hepatic failure <u>Acute non-viral hepatitis NOS</u></p>
Revise code and add NOS	<p>K75 Other inflammatory liver diseases <i>Excludes:</i> chronic hepatitis NEC (K73.-) hepatitis <ul style="list-style-type: none"> • acute or subacute, (K72.0) </p>

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • <u>NOS (B17.9)</u> • <u>Non-viral (K72.0)</u> • viral (B15-B19) <p>toxic liver disease (K71.-)</p>
Delete inclusion	<p>K73.2 Chronic active hepatitis, not elsewhere classified <u>Lupoid hepatitis NEC</u></p>
Add inclusion	<p>K75.4 Autoimmune hepatitis <u>Lupoid hepatitis NEC</u></p>
Add inclusions and exclusion	<p>K75 Other inflammatory liver diseases K75.8 Other specified inflammatory liver diseases <u>Nonalcoholic steatohepatitis (NASH)</u></p> <p>K76 Other diseases of liver K76.0 Fatty(change of) liver, not elsewhere classified <u>Nonalcoholic fatty liver disease (NAFLD)</u></p> <p><i>Excludes: nonalcoholic steatohepatitis (K75.8)</i></p>
Add new inclusion :	<p>K76.8 Other specified diseases of liver <u>Simple cyst of liver</u> Focal nodular hyperplasia of liver Hepatoptosis</p>
Add inclusion	<p>L08.0 Pyoderma Dermatitis:</p> <ul style="list-style-type: none"> • <u>gangrenosa</u> • purulent
Revise code in exclusion at block level	<p>Dermatitis and eczema (L20 - L30) <i>Excludes:</i> chronic (childhood) granulomatous disease (D71) dermatitis</p> <ul style="list-style-type: none"> • dry skin (L85.3) • factitial (L98.1) • gangrenosa (L88)(L08.0)
Delete code	<p>L41 Parapsoriasis</p> <p>L41.0 Pityriasis lichenoides et varioliformis acuta L41.1 Pityriasis lichenoides chronica</p>

Instruction	Tabular list entries
	<u>Decubitus [pressure] ulcer without mention of stage</u>
Revise code title and inclusion:	<p>L91.0 Keloid scarHypertrophic scar Hypertrophic Keloid scar <i>Excludes:</i> acne keloid (L73.0) scar NOS (L90.5)</p>
Revise Modify exclusion note Modify exclusion note	<p>L97 Ulcer of lower limb, not elsewhere classified</p> <p><i>Excludes:</i> decubitus [pressure] ulcer <u>and pressure area</u> (L89);-) gangrene (R02) skin infections (L00–L08) specific infections classified to A00–B99 varicose ulcer (I83.0, I83.2)</p> <p>L98 Other disorders of skin and subcutaneous tissue, not elsewhere classified</p> <p>L98.4 Chronic ulcer of skin, not elsewhere classified Chronic ulcer of skin NOS Tropical ulcer NOS Ulcer of skin NOS</p> <p><i>Excludes:</i> decubitus [pressure] ulcer <u>and pressure area</u> (L89);-) gangrene (R02) skin infections (L00–L08) specific infections classified to A00–B99 ulcer of lower limb NEC (L97) varicose ulcer (I83.0, I83.2)</p>
Add inclusion	<p>L98.5 Mucinosis of skin Focal mucinosis Lichen myxoedematosus <u>Reticular erythematous mucinosis</u> <i>Excludes:</i> focal oral mucinosis (K13.7) myxoedema (E03.9)</p>
Modify	<p>Chapter XIII</p> <p>Diseases of the musculoskeletal system and connective tissue (M00-M99)</p>

Instruction	Tabular list entries
Add exclusion term	<p>Systemic connective tissue disorders</p> <p>(M30-M36)</p> <p><i>Includes:</i> autoimmune disease: · NOS · systemic collagen (vascular) disease: · NOS · systemic</p> <p><i>Excludes:</i> <u>antiphospholipid syndrome (D68.6)</u> autoimmune disease, single organ or single cell-type (code to relevant condition category)</p>
Add exclusion note	<p>M00 Pyogenic arthritis [See site code at the beginning of this chapter]</p> <p><i>Excludes:</i> <u>infection and inflammatory reaction due to internal joint prosthesis (T84.5)</u></p>
Add instructional note:	<p>M10.3 Gout due to impairment of renal function <u>Use additional code, if desired, to identify impairment of kidney disease (N17-N19)</u></p>
Delete inclusion:	<p>M24.8 Other specific joint derangements, not elsewhere classified Irritable hip</p>
Revise code	<p>M36.1* Arthropathy in neoplastic disease (C00-D48†) Arthropathy in:</p> <ul style="list-style-type: none"> • leukaemia (C91-C95†) • malignant histiocytosis (C96.48†) • multiple myeloma (C90.0†)
Add inclusion:	<p>M65.8 Other synovitis and tenosynovitis Irritable hip</p>
Add excludes note	<p>M70 Soft tissue disorders related to use, overuse and pressure <i>Includes:</i> soft tissue disorders of occupational origin <i>Excludes:</i> bursitis (of):</p> <ul style="list-style-type: none"> • NOS (M71.9)

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • shoulder (M75.5) <u>decubitus ulcer and pressure area (L89.-)</u> enthesopathies (M76-M77)
Add excludes note	<p>M89.6 Osteopathy after poliomyelitis Use additional code (B91), if desired, to identify previous poliomyelitis. <i>Excludes:</i> postpolio syndrome (G14)</p>
Add and revise instructional notes at block level:	<p>Glomerular diseases (N00–N08) <u>Use additional code, if desired, to identify associated chronic kidney disease (N18.-)</u> <u>Use additional code, if desired, to identify external cause (Chapter XX) or presence of renal failure, (N17 N19) Acute (N17) or Unspecified (N19)</u> <i>Excludes:</i> hypertensive renal disease (I12.-)</p>
Delete inclusion:	<p>N03 Chronic nephritic syndrome [Note: See before N00 for subdivisions] <i>Includes:</i> chronic:</p> <ul style="list-style-type: none"> • glomerular disease • glomerulonephritis • nephritis • renal disease NOS <p><i>Excludes:</i> chronic tubulo-interstitial nephritis (N11.-) diffuse sclerosing glomerulonephritis (N18.-) nephritic syndrome NOS (N05.-)</p>
Revise inclusions:	<p>N08.0* Glomerular disorders in infectious and parasitic diseases classified elsewhere Glomerular disorders in:</p> <ul style="list-style-type: none"> • mumps (B26.8†) • Plasmodium malariae malaria (B52.0†) • schistosomiasis [bilharziasis] (B65.-†) • septicaemia sepsis (A40–A41†) • strongyloidiasis (B78.-†) • syphilis (A52.7†)
Delete apostrophe	<p>N08.1* Glomerular disorders in neoplastic diseases Glomerular disorders in:</p> <ul style="list-style-type: none"> • Waldenstrom's macroglobulinaemia (C88.0†)
	<p>RENAL TUBULO-INTERSTITIAL DISEASES (N10–N16)</p>

Instruction	Tabular list entries
Add instructional note:	<p>Includes: pyelonephritis Excludes: pyeloureteritis cystica (N28.8) Use additional code, if desired, to identify associated chronic kidney disease (N18.-)</p>
Revise inclusions:	<p>N16.0* Renal tubulo-interstitial disorders in infectious and parasitic diseases classified elsewhere Renal tubulo-interstitial disorders (due to)(in):</p> <ul style="list-style-type: none"> • brucellosis (A23.-†) • diphtheria (A36.8†) • salmonella infection (A02.2†) • septicaemia sepsis (A40–A41†) • toxoplasmosis (B58.8†)
Modify category title; add instructional notes, codes and inclusions:	<p>N18 Chronic renal failure kidney disease Includes: chronic uraemia diffuse sclerosing glomerulonephritis Excludes: chronic renal failure with hypertension (I12.0) Use additional code, if desired, to identify underlying disease. Use additional code, if desired, to identify presence of hypertension.</p> <p>N18.0 End-stage renal disease N18.1 Chronic kidney disease, stage 1 Kidney damage with normal or increased GFR (> 90 mL/min) N18.2 Chronic kidney disease, stage 2 Kidney damage with mild decreased GFR (60-89 mL/min) N18.3 Chronic kidney disease, stage 3 Kidney damage with moderately decreased GFR (30-59 mL/min) N18.4 Chronic kidney disease, stage 4 Kidney disease with severely decreased GFR (15-29 mL/min) N18.5 Chronic kidney disease, stage 5 Chronic uraemia End stage kidney disease:</p> <ul style="list-style-type: none"> • <u>in allograft failure</u> • <u>NOS</u> • <u>on dialysis</u> • <u>without dialysis or transplant</u> <p><u>Renal retinitis†(H32.8*)</u> <u>Uraemic:</u></p> <ul style="list-style-type: none"> • <u>apoplexia† (I68.8*)</u> • <u>dementia † (F02.8*)</u>

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • <u>neuropathy† (G63.8*)</u> • <u>paralysis† (G99.8*)</u> • <u>pericarditis† (I32.8*)</u> <p>N18.8 Other chronic renal failure Uraemic:</p> <ul style="list-style-type: none"> • <u>neuropathy† (G63.8*)</u> • <u>pericarditis† (I32.8*)</u> <p>N18.9 Chronic renal failurekidney disease, unspecified</p>
Add equal sign	<p>N18.1 Chronic kidney disease, stage 1 Kidney damage with normal or increased GFR (≥ 90 mL/min)</p>
Revise inclusion	<p>N18.4 Chronic kidney disease, stage 4 Kidney disease <u>damage</u> with severely decreased GFR (15-29 mL/min)</p>
Add inclusion, revise code title and exclusion:	<p>N19 Unspecified renalkidney failure <u>Renal insufficiency NOS</u> Uraemia NOS <i>Excludes:</i> renalkidney failure with hypertension (I12.0) uraemia of newborn (P96.0)</p>
Add inclusion term at category level and delete inclusion term at code level	<p>N20 Calculus of kidney and ureter <i>Includes:</i> calculous pyelonephritis <i>Excludes:</i> with hydronephrosis (N13.2)</p> <p>N20.9Urinary calculus, unspecified <u>Calculous pyelonephritis</u></p>
Delete exclusion term	<p>N26 Unspecified contracted kidney Excludes: contracted kidney with<u>due to</u> hypertension (I12)</p>
Add inclusion:	<p>N29.8* Other disorders of kidney and ureter in other diseases classified elsewhere <u>Cystine storage disease (E72.0†)</u></p>
Add inclusion term	<p>N32.8 Other specified disorders of bladder Bladder:</p> <ul style="list-style-type: none"> • calcified • contracted

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • overactive
Revise excludes notes	<p>N36.3 Prolapsed urethral mucosa Prolapse of urethra Urethrocele, male <i>Excludes:</i> urethrocele, female (N81.0) • congenital (Q64.7) • female (N81.0)</p>
Delete inclusion terms	<p>N40 Hyperplasia of prostate</p> <p style="padding-left: 40px;">Adenofibromatous hypertrophy } Adenoma (benign) } Enlargement (benign) } Fibroadenoma } of prostate Fibroma } Hypertrophy (benign) } Myoma } Median bar (prostate) Prostatic obstruction NOS</p> <p><i>Excludes:</i> benign neoplasms, except adenoma, fibroma and myoma of prostate (D29.1)</p>
Add new code and inclusion and excludes note:	<p>N42.3 Dysplasia of prostate <u>Low grade dysplasia</u> <i>Excludes:</i> <u>high grade dysplasia of prostate (D07.5)</u></p>
Revise excludes notes	<p>N81.0 Female urethrocele</p> <p><i>Excludes:</i> <u>congenital (Q64.7)</u> urethrocele with: • cystocele (N81.1) • prolapse of uterus (N81.2–N81.4)</p>
Add exclusion term	<p>N85 Other noninflammatory disorders of uterus, except cervix</p> <p><i>Excludes:</i> endometriosis (N80.—) inflammatory diseases of uterus (N71.—) noninflammatory disorders of cervix <u>except malposition</u> (N86 - N88) polyp of corpus uteri (N84.0)</p>

Instruction	Tabular list entries
	uterine prolapse (N81.—)
Add text:	<p>Chapter XV Pregnancy, childbirth and the puerperium (O00-O99)</p> <p><u>The codes included in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes)</u></p> <p>Excludes: <u>Certain diseases or injuries complicating pregnancy, childbirth and the puerperium classified elsewhere:</u></p> <ul style="list-style-type: none"> - <u>external causes (for mortality) (V, W, X, Y)</u> - <u>human immunodeficiency virus [HIV] disease (B20 – B24)</u> - <u>injury, poisoning and certain other consequences of external cause (S00-T88.1, T88.6-T98)</u> - <u>mental and behavioural disorders associated with the puerperium (F53.-)</u> - <u>obstetrical tetanus (A34)</u> - <u>postpartum necrosis of pituitary gland (E23.0)</u> - <u>puerperal osteomalacia (M83.0)</u> <p>Supervision of:</p> <ul style="list-style-type: none"> - <u>high-risk pregnancy (Z35.-)</u> - <u>normal pregnancy (Z34.-)</u>
Revise exclusion	<p>CHAPTER XV Pregnancy, childbirth and the puerperium (O00–O99)</p> <p>Excludes : human immunodeficiency virus [HIV] disease (B20–B24) injury, poisoning and certain other consequences of external cause (S00–T98) mental and behavioural disorders associated with the puerperium (F53.-) obstetrical tetanus (A34) postpartum necrosis of pituitary gland (E23.0) puerperal osteomalacia (M83.0) supervision of: • high-risk pregnancy (Z35.-) • normal pregnancy (Z34.-)</p>
	<p>O08.0 Genital tract and pelvic infection following abortion and ectopic and molar pregnancy</p> <p>Endometritis } Oophoritis } Parametritis } Pelvic peritonitis }</p> <p>following conditions classifiable to</p>

Instruction	Tabular list entries
	<p><u>Pre-eclampsia superimposed on:</u> <u>. hypertension NOS</u> <u>. pre-existing hypertension</u></p>
Revise category title, code title and add code	<p>O13 Gestational [pregnancy-induced] hypertension without significant proteinuria Gestational _____ } hypertension NOS <u>Pregnancy- induced }</u> <u>Mild pre-eclampsia</u></p>
Add code and inclusion	<p>O14 Gestational [pregnancy-induced] hypertension with significant proteinuria <i>Excludes:</i> superimposed pre-eclampsia (O11) O14.0 Moderate pre-eclampsia O14.1 Severe pre-eclampsia <u>O14.2 HELLP syndrome</u> <u>Combination of hemolysis, elevated liver enzymes and low platelet count</u></p>
Revise category title, code title and add code	<p>O14 Gestational [pregnancy-induced] hypertension with significant proteinuria- Pre-eclampsia <i>Excludes:</i> superimposed pre-eclampsia (O11) O14.0 Moderate <u>Mild to moderate</u> pre-eclampsia O14.1 Severe pre-eclampsia O14.2 HELLP syndrome O14.9 Pre-eclampsia, unspecified</p>
Revise category title	<p>O22 Venous complications and haemorrhoids in pregnancy <i>Excludes:</i> obstetric pulmonary embolism (O88.-)</p>
Add exclusion notes	<p>O23 Infections of genitourinary tract in pregnancy <i>Excludes</i> gonococcal infections (O98.2) infections with a predominantly sexual mode of transmission NOS (O98.3) syphilis (O98.1) tuberculosis of genitourinary system (O98.0) venereal disease NOS (O98.3)</p> <p style="text-align: right;">} complicating pregnancy, childbirth and the puerperium</p>
Add inclusion terms:	<p>O26.6 Liver disorders in pregnancy, childbirth and the puerperium <u>Cholestasis (intrahepatic) in pregnancy</u> <u>Obstetric cholestasis</u> <i>Excludes:</i> hepatorenal syndrome following labour and delivery (O90.4)</p>

Instruction	Tabular list entries
Add new code, inclusions and note	<p>O43 Placental disorders Excludes: maternal care for poor fetal growth due to placental insufficiency (O36.5) placenta praevia (O44.-) premature separation of placenta [abruptio placenta](O45.-)</p> <p><u>O43.2 Morbidly adherent placenta</u> <u>Placenta:</u></p> <ul style="list-style-type: none"> • <u>accreta</u> • <u>incretta</u> • <u>percreta</u> <p><u>Use additional code, if desired, to identify any:</u></p> <ul style="list-style-type: none"> • <u>postpartum haemorrhage, third stage O72.0</u> • <u>retained placenta without hemorrhage O73.0</u>
Revise block heading Revise category title Add inclusions Revise code titles and add inclusion Revise code title and add inclusions Add new code and inclusions	<p>Pregnancy, childbirth and the puerperium (O00–O99) Complications of labour and delivery (O60–O75)</p> <p><u>O60 Preterm labour and delivery</u> Onset (spontaneous) of labour before 37 completed weeks of gestation</p> <p><u>O60.0 Preterm labour without delivery</u> <u>Preterm labour:</u> · <u>induced</u> · <u>spontaneous</u></p> <p><u>O60.1 Preterm spontaneous labour with preterm delivery</u> Preterm labour with delivery NOS <u>Preterm spontaneous labour with preterm delivery by caesarean section</u></p> <p><u>O60.2 Preterm spontaneous labour with term delivery</u> <u>Preterm spontaneous labour with term delivery by caesarean section</u></p> <p><u>O60.3 Preterm delivery without spontaneous labour</u> <u>Preterm delivery by:</u> · <u>caesarean section, without spontaneous labour</u> · <u>induction</u></p>

Instruction	Tabular list entries
	<p>- <u>vaginal sulcus</u></p> <p><i>Excludes: with perineal laceration (O70.-) that of the lower vagina (O70.-)</i></p>
Add exclusion	<p>O71.5 Other obstetric injury to pelvic organs <i>Excludes: (minor) laceration involving periurethral tissue only (O70.0)</i></p>
Add note at code level	<p>O72 Postpartum haemorrhage <i>Includes: haemorrhage after delivery of fetus or infant</i></p> <p>O72.0 Third-stage haemorrhage Haemorrhage associated with retained, trapped or adherent placenta Retained placenta NOS <u>Use additional code, if desired, to identify any morbidly adherent placenta (O43.2)</u></p>
Delete inclusion and add note at code level	<p>O73 Retained placenta and membranes, without haemorrhage O73.0 Retained placenta without haemorrhage Placenta accreta without haemorrhage <u>Use additional code, if desired, to identify any morbidly adherent placenta (O43.2)</u></p>
Revise inclusion:	<p>O75.3 Other infection during labour Septicaemia <u>Sepsis</u> during labour</p>
Revise note	<p>Delivery (O80-O84) Note: Codes O80-O84 are provided for morbidity coding purposes. Codes from this block should be used for primary morbidity coding only if no other condition classifiable to Chapter XV is recorded. For use of these categories reference should be made to the <u>mortality and morbidity coding rules and guidelines</u> in Volume 2.</p>
Revise inclusion and exclusion:	<p>O85 Puerperal sepsis Puerperal:</p> <ul style="list-style-type: none"> • endometritis • fever • peritonitis • septicaemia <u>sepsis</u> <p>Use additional code (B95-B97), if desired, to identify infectious agent. <i>Excludes: obstetric pyaemic and septic embolism (O88.3)</i> septicaemia <u>sepsis</u> during labour (O75.3)</p>
Revise	<p>O87 Venous complications and haemorrhoids in the puerperium</p>

Instruction	Tabular list entries
category title	<i>Includes:</i> in labour, delivery and the puerperium
Add inclusion term:	O88.1 Amniotic fluid embolism <u>Anaphylactoid syndrome of pregnancy</u>
Page 760 Revise and add text:	O94 Sequelae of complication of pregnancy, childbirth and the puerperium Sequelae of complication of pregnancy, childbirth and the puerperium (O94) <i>Note</i> :This e-Category <u>O94</u> is to be used for morbidity coding only to indicate <u>previous episodes of</u> conditions in categories O00-O75 and O85-O92 as the cause of sequelae ... <u>Not to be used for chronic complications of pregnancy, childbirth and the puerperium. Code these to O00-O75 and O85-O92 .</u>
Add codes and revise notes:	O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery Use additional code, if desired, to identify the obstetric cause (<u>direct or indirect</u>) of death. <u>O96.0 Death from direct obstetric cause</u> <u>O96.1 Death from indirect obstetric causes</u> <u>O96.9 Death from unspecified obstetric cause</u> O97 Death from sequelae of direct obstetric causes Death from any direct obstetric cause (<u>direct or indirect</u>) occurring one year or more after delivery. <u>Use additional code, if desired to identify the obstetric cause (direct or indirect).</u> <u>O97.0 Death from sequelae of direct obstetric cause</u> <u>O97.1 Death from sequelae of indirect obstetric cause</u> <u>O97.9 Death from sequelae of obstetric cause, unspecified</u>
Add new code, includes note and delete excludes note	O98 Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium <i>Includes:</i> the listed conditions when complicating the pregnant state, when aggravated by the pregnancy, or as a reason for obstetric care. Use additional code (Chapter 1), if desired, to identify specific condition. <i>Excludes</i> :asymptomatic human immunodeficiency virus [HIV] infection status (Z21) human immunodeficiency virus [HIV] disease (B20-B24) laboratory evidence of human immunodeficiency virus [HIV] (R75) obstetrical tetanus (A34) puerperal: <ul style="list-style-type: none"> • infection (O86.-) • sepsis (O85) when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35-O36)

Instruction	Tabular list entries
	<p><u>O98.7 Human immunodeficiency [HIV] disease complicating pregnancy, childbirth and the puerperium</u> <u>Conditions in B20-B24</u></p>
Revise code title	<p>O98.7 Human immunodeficiency <u>virus</u> [HIV] disease complicating pregnancy, childbirth and the puerperium</p>
Revise code title in list of asterisk codes:	<p>Chapter XVI Certain conditions originating in the perinatal period (P00-P96) As asterisk category for this chapter is provided as follows: P75* Meconium ileus <u>in cystic fibrosis</u></p>
Add inclusion term: Add exclusions:	<p>P08.1 Other heavy for gestational age infants Other fetus or infant heavy- or large-for-dates regardless of period of gestation. <u>Usually implies a birth weight >90th percentile for gestational age or 4000 g or more at term</u></p> <p><u>Excludes:</u> syndrome of infant of: - <u>diabetic mother (P70.1)</u> - <u>mother with gestational diabetes (P70.0)</u> - <u>Birth weight of 4500 g or more (P08.0)</u></p>
Add inclusions	<p>P28 Other respiratory conditions originating in the perinatal period <i>Excludes:</i> congenital malformations of the respiratory system (Q30-Q34)</p> <p>P28.2 Cyanotic attacks of newborn <i>Excludes:</i> apnoea of newborn (P28.3-P28.4)</p> <p>P28.3 Primary sleep apnoea of newborn Sleep apnoea of newborn NOS: • <u>central</u> • <u>NOS</u> • <u>obstructive</u></p> <p>P28.4 Other apnoea of newborn</p>

Instruction	Tabular list entries
	<p><u>Apnoea (of):</u></p> <ul style="list-style-type: none"> • <u>newborn, obstructive</u> • <u>prematurity</u> <p><i>Excludes:</i> obstructive sleep apnoea of newborn (P28.3)</p>
Add inclusion terms	<p>P59.2 Neonatal jaundice from other and unspecified hepatocellular damage <u>Fetal or neonatal (idiopathic) hepatitis</u> <u>Giant cell hepatitis</u> <i>Excludes:</i> congenital viral hepatitis (P35.3)</p>
Revise inclusion	<p>P59.2 Neonatal jaundice from other and unspecified hepatocellular damage</p> <p><u>Fetal or neonatal</u> Ggiant cell hepatitis <u>Fetal or neonatal (idiopathic) hepatitis</u> <i>Excludes:</i> congenital viral hepatitis (P35.3)</p>
Add inclusion note: Revise inclusion note:	<p>P70.0 Syndrome of infant of mother with gestational diabetes <u>Fetus or newborn (with hypoglycaemia) affected by maternal gestational diabetes</u></p> <p>P70.1 Syndrome of infant of a diabetic mother <u>Maternal diabetes mellitus (pre-existing) affecting fetus or newborn (with hypoglycaemia)</u> <u>Fetus or newborn (with hypoglycemia) affected by maternal diabetes mellitus (pre-existing)</u></p>
Revise code title:	<p>P75* Meconium ileus <u>in cystic fibrosis</u> (E84.1+)</p>
Add inclusion:	<p>P76.0 Meconium plug syndrome <i>Includes:</i> <u>meconium ileus in cases where cystic fibrosis is known not to be present</u></p>
Add inclusion term	<p>P78.8Other specified perinatal digestive system disorders <u>Neonatal oesophageal reflux</u></p>
Add inclusion term	<p>P96.1 Neonatal withdrawal symptoms from maternal use of drugs or addiction Drug withdrawal syndrome in infant of dependent mother <u>Neonatal abstinence syndrome</u> <i>Excludes:</i> reactions and intoxications from maternal opiates and tranquilizers administered during labour and delivery (P04.0)</p>
Revise	<p>Q25.3 Stenosis of aorta</p>

Instruction	Tabular list entries
excludes	<i>Excludes:</i> congenital <u>stenosis of aortic valvestenosis</u> (Q23.0)
Add inclusion	Q25.6 Stenosis of pulmonary artery <u>Supravalvular pulmonary stenosis</u>
Add inclusions and exclusion	Q61.4 Renal dysplasia <u>Multicystic:</u> <ul style="list-style-type: none"> • <u>dyplastic kidney</u> • <u>kidney (developmental)</u> • <u>kidney disease</u> • <u>renal dysplasia</u> <i>Excludes:</i> <u>polycystic kidney disease (Q61.1-Q6 1.3)</u>
Add inclusion and exclusion	R10.1 Pain localized to upper abdomen <u>Dyspepsia NOS</u> Epigastric pain <i>Excludes:</i> <u>functional dyspepsia (K30)</u>
Revise exclusion	R12 Heartburn <i>Excludes:</i> <u>dyspepsia:</u> <ul style="list-style-type: none"> • <u>NOS (R10.1)</u> • <u>functional (K30)</u>
Add code and inclusions	R26 Abnormalities of gait and mobility <i>Excludes:</i> ataxia: <ul style="list-style-type: none"> • NOS (R27.0) • hereditary (G11.-) • locomotor (syphilitic) (A52.1) immobility syndrome (paraplegic) (M62.3) R26.0 Ataxic gait Staggering gait R26.1 Paralytic gait Spastic gait R26.2 Difficulty in walking, not elsewhere classified R26.3 Immobility <u>Bedfast</u> <u>Chairfast</u>

Instruction	Tabular list entries
	<p>R26.8 Other and unspecified abnormalities of gait and mobility Unsteadiness on feet NOS</p>
Modify includes and excludes notes	<p>R46.8 Other symptoms and signs involving appearance and behaviours <i><u>Includes:</u></i> self neglect NOS <i><u>Excludes:</u></i> insufficient intake of food and water due to self neglect (R63.6)</p>
Delete inclusion term	<p>R53 Malaise and fatigue Asthenia NOS Debility: <ul style="list-style-type: none"> • NOS • chronic • nervous General physical deterioration</p>
Add code	<p>R57 Shock, not elsewhere classified <u>R57.2Septic shock</u></p>
Add new code and excludes notes	<p>R63 Symptoms and signs concerning food and fluid intake ... R63.5 Abnormal weight gain <i><u>Excludes:</u></i> excessive weight gain in pregnancy (O26.0) obesity (E66.-) <u>R63.6 Insufficient intake of food and water due to self neglect</u> <i><u>Excludes:</u></i> starvation due to anorexia (R63.0) <u>starvation due to privation of food (X53)</u> <u>thirst due to privation of water (X54)</u> <u>self neglect NOS (R46.8)</u> R63.8 Other symptoms and signs concerning food and fluid intake</p>
Revise code in exclusion:	<p>R64 Cachexia <i><u>Excludes:</u></i> HIV disease resulting in wasting syndrome (B22.2) Malignant cachexia (C80,-) Nutritional marasmus (E41)</p>
Add new category and codes	<p><u>R65 Systemic Inflammatory Response Syndrome</u> <i><u>Note:</u></i> <u>This category should never be used in primary coding. The condition resulting from any cause. A code from another underlying disease.</u> <u>category is for use in multiple coding to identify this chapter should be assigned first to indicate the cause or</u> <u>R65.0 Systemic Inflammatory Response Syndrome of infectious origin without organ failure</u></p>

Instruction	Tabular list entries
	<p><u>R65.1 Systemic Inflammatory Response Syndrome of infectious origin with organ failure</u></p> <p><u>R65.2 Systemic Inflammatory Response Syndrome of non-infectious origin without organ failure</u></p> <p><u>R65.3 Systemic Inflammatory Response Syndrome of non-infectious origin with organ failure</u></p> <p><u>R65.9 Systemic Inflammatory Response Syndrome, unspecified</u></p>
Add inclusion:	<p>R65.1 Systemic Inflammatory Response Syndrome of infectious origin with organ failure <u>Severe sepsis</u></p>
Add exclusion	<p>R71 Abnormality of red blood cells ... <i>Excludes:</i> anaemias (D50 –D64) polycythaemia: <ul style="list-style-type: none"> • <u>NOS (D75.1)</u> • benign (familial) (D75.0) • neonatorum (P61.1) • secondary (D75.1) • vera (D45) </p>
Add excludes note	<p>R75 Laboratory evidence of human immunodeficiency virus [HIV] Nonconclusive HIV-test finding in infants <i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21) human immunodeficiency virus [HIV] disease (B20-B24) <u>human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O97.8)</u></p>
Revise code in exclusion	<p>R75 Laboratory evidence of human immunodeficiency virus [HIV] Nonconclusive HIV-test finding in infants <i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21) human immunodeficiency virus [HIV] disease (B20-B24) human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O97.8 <u>O98.7</u>)</p>

Instruction	Tabular list entries									
Add new codes	<p>Ill-defined and unknown causes of mortality (R95-R99)</p> <p><i>Excludes:</i> fetal death of unspecified cause (P95) obstetric death NOS (O95)</p> <hr/> <p>R95 Sudden infant death syndrome</p> <hr/> <p>R95.0 Sudden infant death syndrome with mention of autopsy</p> <hr/> <p>R95.9 Sudden infant death syndrome without mention of autopsy</p> <hr/> <p> Sudden infant death syndrome, unspecified</p>									
Modify Add includes note Add excludes note	<p>R96.0 Instantaneous death</p> <p><u>Sudden unexplained death in adult</u> <i>Excludes:</i> Sudden death of known aetiology (A00.0-Q99.9, U04.9, V01.0-Y89.9,)</p>									
At chapter heading level, in the preamble, add inclusion terms to the list of types of injuries applicable to muscles, fascia and tendons:	<p>Chapter XIX - Injury, poisoning and certain other consequences of external causes (S00-T98)</p> <p>Injury to muscle, fascia and tendon, including:</p> <table border="0"> <tr> <td>avulsion</td> <td rowspan="4">}</td> <td rowspan="4">of muscle, fascia and tendon</td> </tr> <tr> <td>cut</td> </tr> <tr> <td>laceration</td> </tr> <tr> <td><u>strain</u></td> </tr> <tr> <td>traumatic rupture</td> <td></td> <td></td> </tr> </table>	avulsion	}	of muscle, fascia and tendon	cut	laceration	<u>strain</u>	traumatic rupture		
avulsion	}	of muscle, fascia and tendon								
cut										
laceration										
<u>strain</u>										
traumatic rupture										
Add excludes note:	<p>S37.8 Injury of other pelvic organs</p> <p>Adrenal gland Prostate Seminal vesicle Vas deferens</p> <p><i>Excludes:</i> Open wound of other and unspecified external genital organs (S31.5)</p>									

Instruction	Tabular list entries									
term										
Revise inclusion:	<p>T80.2 Infections following infusion, transfusion and therapeutic injection</p> <table border="0"> <tr> <td>Infection</td> <td rowspan="4">}</td> <td rowspan="4">following infusion, transfusion and therapeutic injection</td> </tr> <tr> <td>Sepsis</td> </tr> <tr> <td>Septic shock</td> </tr> <tr> <td>Septicaemia</td> </tr> </table>	Infection	}	following infusion, transfusion and therapeutic injection	Sepsis	Septic shock	Septicaemia			
Infection	}	following infusion, transfusion and therapeutic injection								
Sepsis										
Septic shock										
Septicaemia										
Delete inclusion and add instructional note	<p>T80.2 Infections following infusion, transfusion and therapeutic injection</p> <table border="0"> <tr> <td>Infection</td> <td>}</td> <td></td> </tr> <tr> <td>Sepsis</td> <td>}</td> <td>following infusion, transfusion and therapeutic injection</td> </tr> <tr> <td>Septic shock</td> <td>}</td> <td></td> </tr> </table> <p><u>Use additional code (R57.2), if desired, to identify septic shock</u></p>	Infection	}		Sepsis	}	following infusion, transfusion and therapeutic injection	Septic shock	}	
Infection	}									
Sepsis	}	following infusion, transfusion and therapeutic injection								
Septic shock	}									
Add exclusion:	<p>T81 Complications of procedures, not elsewhere classified <i>Excludes:</i> adverse effect of drug NOS (T88.7) complication following: immunization (T88.0-T88.1) infusion, transfusion and therapeutic injection (T80.-) specified complications classified elsewhere, such as: complications of prosthetic devices, implants and grafts (T82-T85) dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0-L27.1) <u>failure and rejection of transplanted organs and tissues (T86)</u> poisoning and toxic effects of drugs and chemicals (T36-T65)</p>									
Delete non-essential modifier and add instructional note	<p>T81.1 Shock during or resulting from a procedure, not elsewhere classified</p> <table border="0"> <tr> <td>Collapse NOS</td> <td>}</td> <td>during or following a procedure</td> </tr> <tr> <td>Shock (endotoxic)(hypovolaemic) (septic)</td> <td>}</td> <td></td> </tr> <tr> <td>Postprocedural shock NOS</td> <td></td> <td></td> </tr> </table> <p><u>Use additional code (R57.2), if desired, to identify septic shock</u></p>	Collapse NOS	}	during or following a procedure	Shock (endotoxic)(hypovolaemic) (septic)	}		Postprocedural shock NOS		
Collapse NOS	}	during or following a procedure								
Shock (endotoxic)(hypovolaemic) (septic)	}									
Postprocedural shock NOS										

Instruction	Tabular list entries						
Revise inclusion:	<p>T81.4 Infection following a procedure, not elsewhere classified</p> <table border="0"> <tr> <td style="vertical-align: middle;"> <ul style="list-style-type: none"> Abscess • intra-abdominal • stitch • subphrenic • wound </td> <td style="font-size: 3em; vertical-align: middle; padding: 0 10px;">}</td> <td style="vertical-align: middle;">postprocedural</td> </tr> <tr> <td colspan="2"> <p><u>Sepsis</u> <u>Septicaemia</u></p> </td> <td></td> </tr> </table>	<ul style="list-style-type: none"> Abscess • intra-abdominal • stitch • subphrenic • wound 	}	postprocedural	<p><u>Sepsis</u> <u>Septicaemia</u></p>		
<ul style="list-style-type: none"> Abscess • intra-abdominal • stitch • subphrenic • wound 	}	postprocedural					
<p><u>Sepsis</u> <u>Septicaemia</u></p>							
Add instructional note	<p>T81.4 Infection following a procedure, not elsewhere classified</p> <p>Abscess:</p> <ul style="list-style-type: none"> • intra-abdominal • stitch }postprocedural • subphrenic • wound <p>Sepsis</p> <p><u>Use additional code, if desired, to identify other manifestations of infection, such as sepsis or abscess.</u></p>						
Revise code title and delete inclusion:	<p>T82.8 Other <u>specified</u> complications of cardiac and vascular prosthetic devices, implants and grafts</p> <table border="0"> <tr> <td style="vertical-align: middle;"> <p>Complication</p> <ul style="list-style-type: none"> Embolism Fibrosis Haemorrhage Pain Stenosis Thrombosis </td> <td style="font-size: 3em; vertical-align: middle; padding: 0 10px;">}</td> <td style="vertical-align: middle;">due to cardiac and vascular prosthetic devices, implants and grafts</td> </tr> </table>	<p>Complication</p> <ul style="list-style-type: none"> Embolism Fibrosis Haemorrhage Pain Stenosis Thrombosis 	}	due to cardiac and vascular prosthetic devices, implants and grafts			
<p>Complication</p> <ul style="list-style-type: none"> Embolism Fibrosis Haemorrhage Pain Stenosis Thrombosis 	}	due to cardiac and vascular prosthetic devices, implants and grafts					
Revise inclusion:	<p>T88.0 Infection following immunization</p> <table border="0"> <tr> <td style="vertical-align: middle;"> <ul style="list-style-type: none"> Sepsis <u>Septicaemia</u> </td> <td style="font-size: 3em; vertical-align: middle; padding: 0 10px;">}</td> <td style="vertical-align: middle;">following immunization</td> </tr> </table>	<ul style="list-style-type: none"> Sepsis <u>Septicaemia</u> 	}	following immunization			
<ul style="list-style-type: none"> Sepsis <u>Septicaemia</u> 	}	following immunization					
Revise and add text:	<p>Sequelae of injuries, of poisoning and of other consequences of external causes (T90-T98)</p> <p>Note: <u>These categories T90-T98</u> are to be used to indicate conditions in S00-S99 and T00-T88 as the cause of late effects, which are themselves classified elsewhere. The “sequelae” include those specified as such, or as late effects, and those present one year or more after the acute injury.</p> <p><u>Not to be used for chronic poisoning and harmful exposure. Code these to current poisoning and harmful exposure.</u></p>						

Instruction	Tabular list entries
Add inclusions	<p>W17 Fall from one level to another</p> <p><i>Includes:</i> fall from or into:</p> <p>...</p> <ul style="list-style-type: none"> • <u>cherry picker</u> • hole • <u>lifting device</u> • <u>mobile elevated work platform [MEWP]</u> • pit • <u>sky lift</u>
Add codes and inclusion:	<p>X34 Victim of earthquake</p> <p><u>X34.0 Victim of cataclysmic earth movements caused by earthquake</u> <i>Includes: trapped in or injured by collapsing building or other structure</i></p> <p><u>X34.1 Victim of tsunami</u></p> <p><u>X34.8 Victim of other specified effects of earthquake</u></p> <p><u>X34.9 Victim of unspecified effect of earthquake</u></p>
Add exclusion:	<p>X39 Exposure to other and unspecified forces of nature</p> <p>...</p> <p>Excludes: ... exposure NOS (X59.9) tsunami (X34.1)</p>
Need to create, delete or correct an index entry	<p>X47 Accidental poisoning by and exposure to other gases and vapours</p> <p><i>Includes:</i> carbon monoxide <u>helium (nonmedicinal) NEC</u> lacrimogenic gas [tear gas]</p>
Revise excludes note	<p>X53 Lack of food</p> <p><i>Includes:</i> lack of food as the cause of:</p> <ul style="list-style-type: none"> • inanition • insufficient nourishment • starvation <p><i>Excludes:</i> neglect or abandonment by others (Y06.-) <u>insufficient intake of food and water due to self neglect (R63.6)</u> <u>self neglect NOS (R46.8)</u></p>

Instruction	Tabular list entries
Need to create, delete or correct an index entry	<p>X67 Intentional self-poisoning by and exposure to other gases and vapours <i>Includes:</i> carbon monoxide <u>helium (nonmedicinal) NEC</u> lacrimogenic gas [tear gas]</p>
Revise category title:	<p>Y07 Other maltreatment syndromes</p>
Need to create, delete or correct an index entry	<p>Y17 Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent <i>Includes:</i> ... <u>helium (nonmedicinal) NEC</u> hormones and synthetic substitutes</p>
Add excludes notes in Volume 1 at block level	<p>Misadventures to patients during surgical and medical care (Y60-Y69) <i>Excludes:</i> breakdown and malfunctioning ... (ongoing use) (Y70-Y82) surgical and medical procedure ... time of the procedure (Y83-Y84) <u>medical devices associated with adverse incidents due to external causes classified elsewhere (V01-Y59, Y85-Y87, Y89)</u></p>
Add excludes notes in Volume I at block level	<p>Medical devices associated with adverse incident in diagnostic and therapeutic use (Y70-Y82) <i>Excludes:</i> misadventure to patients ... classifiable to Y60-Y69 (Y60-Y69) later complications to patients ... malfunctioning of medical device (Y83-Y84) <u>medical devices associated with adverse incidents due to external causes classified elsewhere (V01-Y59, Y85-Y87, Y89)</u></p>
Add excludes notes in Volume I at block level	<p>Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84) <i>Excludes:</i> misadventure to patients ... classifiable to Y60-Y69 (Y60-Y69) breakdown and malfunctioning</p>

Instruction	Tabular list entries
	<p>... (ongoing use) (Y70-Y82) <u>medical devices associated with adverse incidents due to external causes classified elsewhere (V01-Y59, Y85-Y87, Y89)</u></p>
Add text:	<p>Sequelae of external causes of morbidity and mortality (Y85-Y89) <i>Note:</i> Categories Y85-Y89 are to be used to indicate circumstances as the cause of death, impairment or disability from sequelae or “late effects”, which are themselves classified elsewhere. The sequelae include conditions reported as such, or occurring as “late effects” one year or more after the originating event.</p> <p><u>Not to be used for chronic poisoning and harmful exposure. Code these to current poisoning and harmful exposure.</u></p>
Add excludes note	<p>Z21 Asymptomatic human immunodeficiency virus [HIV] infection status HIV positive NOS Excludes: contact with or exposure to human immunodeficiency virus [HIV] (Z20.6) human immunodeficiency virus [HIV] disease (B20-B24) <u>human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O98.7)</u> laboratory evidence of human immunodeficiency virus [HIV] (R75)</p>
Add note at block level	<p>Z22.3 Carrier of other specified bacterial diseases <u>Use additional code, if desired, to identify resistance to antimicrobial and antineoplastic drugs (U82-U85)</u></p>
Delete note	<p>Z22.3 Carrier of other specified bacterial diseases Use additional code, if desired, to identify resistance to antimicrobial and antineoplastic drugs (U82-U85)</p>
Revise title and inclusion term	<p>Z45.0 Adjustment and management of cardiac pacemaker devices Checking and testing and adjusting of pulse generator [battery] cardiac devices</p>
Add parentheses:	<p>Z51.3 Blood transfusion (without reported diagnosis)</p>

Instruction	Tabular list entries
Revise code title and delete excludes notes	<p>Persons encountering health services in other circumstances (Z70–Z76) Z74 Problems related to care-provider dependency Z74 Problems related to care-provider dependency <i>Excludes:</i> dependence on enabling machines or devices NEC (Z99.-) Z74.0 <u>Need for assistance due to reduced mobility</u> Bedfast Chairfast Z74.1 Need for assistance with personal care Z74.2 Need for assistance at home and no other household member able to render care Z74.3 Need for continuous supervision Z74.8 Other problems related to care-provider dependency Z74.9 Problem related to care-provider dependency, unspecified</p>
Revise inclusion	<p>Z80.9 Family history of malignant neoplasm, unspecified Conditions classifiable to C80.-</p>
Add code to inclusion	<p>Z83.0 Family history of human immunodeficiency virus [HIV] disease Conditions classifiable to B20-B24, <u>O98.7</u></p>
Add code to inclusion:	<p>Z83.3 Family history of diabetes mellitus Conditions classifiable to E10-E14, <u>O24</u></p>
Revise inclusion	<p>Z85.9 Personal history of malignant neoplasm, unspecified Conditions classifiable to C80.-</p>
Add inclusion term:	<p>Z94.8 Other transplanted organ and tissue status Bone marrow Intestine Pancreas <u>Stem cells</u></p>
Revise code title and notes	<p>Z95 Presence of cardiac and vascular implants and grafts <i>Excludes:</i> complications of cardiac and vascular devices, implants and grafts (T82.-) Z95.0 Presence of <u>electronic cardiac pacemaker devices</u> <u>Presence of :</u> • <u>cardiac pacemaker</u></p>

Instruction	Tabular list entries
	<ul style="list-style-type: none"> • <u>cardiac resynchronization therapy defibrillator (CRT-D)</u> • <u>cardiac resynchronization therapy (CRT) pacemaker</u> • <u>cardioverter-defibrillator (ICD)</u> <p><i>Excludes:</i> adjustment or management of cardiac pacemaker devices (Z45.0) dependence on artificial heart (Z99.4)</p>
Add new code	<p>Z99 Dependence on enabling machines and devices, not elsewhere classified</p> <p>Z99.0 Dependence on aspirator</p> <p>Z99.1 Dependence on respirator</p> <p>Z99.2 Dependence on renal dialysis Presence of arteriovenous shunt for dialysis Renal dialysis status</p> <p><i>Excludes:</i> Dialysis preparation, treatment or session (Z49.-)</p> <p>Z99.3 Dependence on wheelchair</p> <p>Z99.4 Dependence on artificial heart</p> <p>Z99.8 Dependence on other enabling machine and devices</p> <p>Z99.9 Dependence on unspecified enabling machine and devices</p>
Add new categories and revise block title	<p>Provisional assignment of new diseases of uncertain etiology <u>or emergency use</u> (U00-U49)</p> <p>U04 Severe acute respiratory syndrome [SARS]</p> <p>U04.9 Sever acute respiratory syndrome, unspecified</p> <p>U06 Emergency use of U06</p> <p><u>Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specification of category U06 in the way it is done here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.</u></p> <p>U06.0 <u>Emergency use of U06.0</u></p> <p>U06.1 <u>Emergency use of U06.1</u></p> <p>U06.2 <u>Emergency use of U06.2</u></p> <p>U06.3 <u>Emergency use of U06.3</u></p> <p>U06.4 <u>Emergency use of U06.4</u></p> <p>U06.5 <u>Emergency use of U06.5</u></p> <p>U06.6 <u>Emergency use of U06.6</u></p> <p>U06.7 <u>Emergency use of U06.7</u></p> <p>U06.8 <u>Emergency use of U06.8</u></p> <p>U06.9 <u>Emergency use of U06.9</u></p>

Instruction	Tabular list entries
	<p><u>U07 Emergency use of U07</u> <u>Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specification of category U07 in the way it is done here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.</u></p> <p><u>U07.0 Emergency use of U07.0</u> <u>U07.1 Emergency use of U07.1</u> <u>U07.2 Emergency use of U07.2</u> <u>U07.3 Emergency use of U07.3</u> <u>U07.4 Emergency use of U07.4</u> <u>U07.5 Emergency use of U07.5</u> <u>U07.6 Emergency use of U07.6</u> <u>U07.7 Emergency use of U07.7</u> <u>U07.8 Emergency use of U07.8</u> <u>U07.9 Emergency use of U07.9</u></p>
<p>Revise block title</p> <p>Delete block</p>	<p>Chapter XXII Codes for special purposes (U00 – U99) This chapter contains the following blocks: U00 – U49 Provisional assignment of new diseases of uncertain etiology U80-U89 Bacterial agents resistant to antibiotics U82-U85 Resistance to antimicrobial and antineoplastic drugs</p> <p>Bacterial agents resistant to antibiotics (U80-U89)</p> <p><i>Note:</i> These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the antibiotic to which a bacterial agent is resistant, in bacterial infection classified elsewhere</p> <p>U80 — Agent resistant to penicillin and related antibiotics U80.0 — Penicillin resistant agent U80.1 — Methicillin resistant agent U80.8 — Agent resistant to other penicillin-related antibiotic</p> <p>U81 — Agent resistant to vancomycin and related antibiotics U81.0 — Vancomycin resistant agent</p>

Instruction	Tabular list entries
Add block	<p>U81.8 — Agent resistant to other vancomycin-related antibiotic</p> <p>U88 — Agent resistant to multiple antibiotics</p> <p><i>Note:</i> This category is provided for use when a bacterial agent is resistant to two or more antibiotics but there is insufficient detail to determine which antibiotic is contributing most to the “main condition”. It should also be used for primary tabulation purposes when it is more convenient to record a single code; otherwise each specific antibiotic-resistant agent should be coded separately.</p> <p>U89 — Agent resistant to other and unspecified antibiotics</p> <p>U89.8 — Agent resistant to other single specified antibiotic</p> <p>U89.9 — Agent resistant to unspecified antibiotic</p> <p><u>U82-U85 Resistance to antimicrobial and antineoplastic drugs</u></p> <p><u>Note: These categories should never be used in primary coding. The codes are provided for use as supplementary or additional codes when it is desired to identify the resistant properties of infectious agent(s), which are themselves classified elsewhere.</u></p>
Revise note at block level	<p><u>U82-U85 Resistance to antimicrobial and antineoplastic drugs</u></p> <p><i>Note:</i> These categories should never be used in primary coding. The codes are provided for use as supplementary or additional codes when it is desired to identify the resistant properties of infectious agents, which are themselves classified elsewhere <u>resistance, non-responsiveness and refractive properties of a condition to antimicrobials and antineoplastic drugs.</u></p>
Create new categories, codes and inclusion terms	<p><u>U82 Resistance to betalactam antibiotics</u></p> <p><u>Use additional code (B95-B98), if desired, to identify agents resistant to betalactam antibiotic treatment.</u></p> <p><u>U82.0 Resistance to penicillin</u></p> <p><u>Resistance to:</u></p>

Instruction	Tabular list entries
	<p><u>Amoxicillin</u></p> <p><u>Ampicillin</u></p> <p><u>U82.1 Resistance to methicillin</u> <u>Resistance to:</u> <u>cloxacillin</u> <u>flucloxacillin</u> <u>oxacillin</u></p> <p><u>U82.2 Extended spectrum betalactamase (ESBL) resistance</u> <u>U82.8 Resistance to other betalactam antibiotics</u></p> <p><u>U82.9 Resistance to betalactam antibiotics, unspecified</u></p> <p><u>U83 Resistance to other antibiotics</u> <u>Use additional code (B95-B98), if desired, to identify agents resistant to other antibiotic treatment.</u></p> <p><u>U83.0 Resistance to vancomycin</u></p> <p><u>U83.1 Resistance to other vancomycin related antibiotics</u></p> <p><u>U83.2 Resistance to quinolones</u></p> <p><u>U83.7 Resistance to multiple antibiotics</u></p> <p><u>U83.8 Resistance to other single specified antibiotic</u></p> <p><u>U83.9 Resistance to unspecified antibiotic</u> <u>Resistance to antibiotics NOS</u></p> <p><u>U84 Resistance to other antimicrobial drugs</u> <u>Use additional code (B95-B98), if desired, to identify agents resistant to antimicrobial drugs.</u></p> <p><u>Excludes:</u> <u>Resistance to antibiotics (U82 - U83)</u></p>

Instruction	Tabular list entries
	<p><u>U84.0 Resistance to antiparasitic drug(s)</u> <u>Resistance to quinine and related compounds:</u></p> <p><u>U84.1 Resistance to antifungal drug(s)</u></p> <p><u>U84.2 Resistance to antiviral drug(s)</u></p> <p><u>U84.3 Resistance to tuberculostatic drug(s)</u></p> <p><u>U84.7 Resistance to multiple antimicrobial drugs</u> <u>Excludes: Resistance to multiple antibiotics only (U83.7)</u></p> <p><u>U84.8 Resistance to other specified antimicrobial drug</u></p> <p><u>U84.9 Resistance to unspecified antimicrobial drugs</u> <u>Drug resistance NOS</u></p> <p><u>U85 Resistance to antineoplastic drugs</u></p>
Add inclusion	<p>U85 Resistance to antineoplastic drugs <i>Includes:</i> Non-responsiveness to antineoplastic drugs <u>Refractory cancer</u></p>

Morphology of Neoplasms

INSTRUCTION	MORPHOLOGY LIST ENTRIES
Delete text	<p>MORPHOLOGY OF NEOPLASMS Note: Occasionally a problem arises...C25.9 (pancreas, unspecified). ... For neoplasms of lymphoid, haematopoietic and related tissue (M959-M998) the relevant codes from C81-C96 and D45-D47 are given. These Chapter II codes should be used irrespective of the stated site of the neoplasm.</p>
Revise code	M8162/3 Klatskin's tumour (C22.1 C24.0)
Revise title and delete code:	<p>M844-M849 Cystic, mucinous and serous neoplasms M8480/0 Mucinous adenoma M8480/3 Mucinous adenocarcinoma M8480/6 <u>Mucinous adenocarcinoma, metastatic [Pseudomyxoma peritonei]</u> (C78.6)</p>
Delete morphology codes	<p>Morphology of neoplasms</p> <p>M959-M971 Hodgkin's and non-Hodgkin's lymphoma M959 Malignant lymphomas NOS or diffuse M9590/3 Malignant lymphoma NOS (C84.5, C85.9) M9591/3 Malignant lymphoma, non-Hodgkin's NOS (C84.5, C85.9) M9592/3 Lymphosarcoma NOS (C85.0) M9593/3 Reticulosarcoma NOS (C83.3, C83.9) M9594/3 Microglioma (C85.7) M9595/3 Malignant lymphoma, diffuse NOS (C83.5.)</p> <p>M965-M966 Hodgkin's disease M9650/3 Hodgkin's disease NOS (C81.9) M9652/3 Hodgkin's disease, mixed cellularity NOS (C81.2) M9653/3 Hodgkin's disease, lymphocytic depletion NOS (C81.3) M9654/3 Hodgkin's disease, lymphocytic depletion, diffuse fibrosis (C81.3) M9655/3 Hodgkin's disease, lymphocytic depletion, reticular (C81.3) M9657/3 Hodgkin's disease, lymphocytic predominance NOS (C81.0)</p>

M9658/3	Hodgkin's disease, lymphocytic predominance, diffuse (C81.0)
M9659/3	Hodgkin's disease, lymphocytic predominance, nodular (C81.0)
M9660/3	Hodgkin's paragranuloma NOS (C81.7)
M9661/3	Hodgkin's granuloma (C81.7)
M9662/3	Hodgkin's sarcoma (C81.7)
M9663/3	Hodgkin's disease nodular sclerosis NOS (C81.1)
M9664/3	Hodgkin's disease, nodular sclerosis, cellular phase (C81.1)
M9665/3	Hodgkin's disease, nodular sclerosis, lymphocytic predominance (C81.1)
M9666/3	Hodgkin's disease, nodular sclerosis, mixed cellularity (C81.1)
M9667/3	Hodgkin's disease, nodular sclerosis, lymphocytic depletion (C81.1)
M967 M968	<i>Malignant lymphoma, diffuse or NOS, specified type</i>
M9670/3	Malignant lymphoma, small lymphocytic NOS (C83.0)
M9671/3	Malignant lymphoma, lymphoplasmaeytic (C83.8)
M9672/3	Malignant lymphoma, small cleaved cell, diffuse (C83.1)
M9673/3	Malignant lymphoma, lymphocytic, intermediate differentiation, diffuse (C83.8)
M9674/3	Malignant lymphoma, centrocytic (C83.8)
M9675/3	Malignant lymphoma, mixed small and large cell, diffuse (C83.2)
M9676/3	Malignant lymphoma, centroblastic-centrocytic, diffuse (C83.8)
M9677/3	Malignant lymphomatous polyposis (C83.8)
M9680/3	Malignant lymphoma, large cell, diffuse NOS (C83.3)
M9681/3	Malignant lymphoma, large cell, cleaved, diffuse (C83.3)
M9682/3	Malignant lymphoma, large cell, noncleaved, diffuse (C83.3)
M9683/3	Malignant lymphoma, centroblastic, diffuse (C83.8)
M9684/3	Malignant lymphoma, immunoblastic NOS (C83.4)
M9685/3	Malignant lymphoma, lymphoblastic (C83.5)
M9686/3	Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, C83.6)
M9687/3	Burkitt's lymphoma NOS (C83.7)
M969	<i>Malignant lymphoma, follicular or nodular, with or without diffuse areas</i>
M9690/3	Malignant lymphoma, follicular NOS (C82.9)
M9691/3	Malignant lymphoma, mixed small cleaved and large cell, follicular (C82.1)
M9692/3	Malignant lymphoma, centroblastic-centrocytic, follicular (C82.8)
M9693/3	Malignant lymphoma, lymphocytic, well differentiated, nodular (C82.8)
M9694/3	Malignant lymphoma, lymphocytic, intermediate differentiation, nodular (C82.8)
M9695/3	Malignant lymphoma, small cleaved cell, follicular (C82.0)
M9696/3	Malignant lymphoma, lymphocytic, poorly differentiated, nodular (C82.8)

M9697/3	Malignant lymphoma, centroblastic, follicular (C82.8)
M9698/3	Malignant lymphoma, large cell, follicular NOS (C82.2)
M970	<i>Specified cutaneous and peripheral T cell lymphomas</i>
M9700/3	Mycosis fungoides (C84.0)
M9701/3	Sézary's disease (C84.1)
M9702/3	Peripheral T cell lymphoma NOS (C84.4)
M9703/3	T-zone lymphoma (C84.2)
M9704/3	Lymphoepithelioid lymphoma (C84.3)
M9705/3	Peripheral T cell lymphoma, AILD (angioimmunoblastic lymphadenopathy with dysproteinaemia) (C84.4)
M9706/3	Peripheral T cell lymphoma, pleomorphic small cell (C84.4)
M9707/3	Peripheral T cell lymphoma, pleomorphic medium and large cell (C84.4)
M9709/3	Cutaneous lymphoma (C84.5)
M971	<i>Other specified non-Hodgkin's lymphomas</i>
M9711/3	Monoeyctoid B cell lymphoma (C85.7)
M9712/3	Angioendotheliomatosis (C85.7)
M9713/3	Angiocentric T cell lymphoma (C85.7)
M9714/3	Large cell (Ki 1+) lymphoma (C85.7)
M972	<i>Other lymphoreticular neoplasms</i>
M9720/3	Malignant histiocytosis (C96.1)
M9722/3	Letterer-Siwe disease (C96.0)
M9723/3	True histiocytic lymphoma (C96.3)
M973	<i>Plasma cell tumours</i>
M9731/3	Plasmacytoma NOS (C90.2)
M9732/3	Multiple myeloma (C90.0)
M974	<i>Mast cell tumours</i>
M9740/1	Mastocytoma NOS (D47.0)
M9740/3	Mast cell sarcoma (C96.2)
M9741/3	Malignant mastocytosis (C96.2)
M976	<i>Immunoproliferative diseases</i>
M9760/3	Immunoproliferative disease NOS (C88.9)
M9761/3	Waldenström's macroglobulinaemia (C88.0)

M9762/3	Alpha heavy chain disease (C88.13)
M9763/3	Gamma heavy chain disease (C88.2)
M9764/3	Immunoproliferative small intestinal disease (C88.3)
M9765/4	<u>Monoclonal gammopathy of undetermined significance (MGUS) (D47.2)</u>
M9766/4	Angiocentric immunoproliferative lesion (D47.7 <u>C83.8</u>)
M9767/4	Angioimmunoblastic lymphadenopathy (D47.7 <u>C86.5</u>)
M9768/4	T gamma lymphoproliferative disease (D47.7 9)
M980-M994 — Leukaemias	
<i>M980</i>	<i>Leukaemias NOS</i>
M9800/3	Leukaemia NOS (C95.9)
M9801/3	Acute leukaemia NOS (C95.0)
M9802/3	Subacute leukaemia NOS (C95.2)
M9803/3	Chronic leukaemia NOS (C95.1)
M9804/3	Aleukaemic leukaemia NOS (C95.7)
<i>M982</i>	<i>Lymphoid leukaemias</i>
M9820/3	Lymphoid leukaemia NOS (C91.9)
M9821/3	Acute lymphoblastic leukaemia NOS (C91.0)
M9822/3	Subacute lymphoid leukaemia (C91.2)
M9823/3	Chronic lymphocytic leukaemia (C91.1)
M9824/3	Aleukaemic lymphoid leukaemia (C91.7)
M9825/3	Prolymphocytic leukaemia (C91.3)
M9826/3	Burkitt's cell leukaemia (C91.7)
M9827/3	Adult T cell leukaemia/lymphoma (C91.5)
<i>M983</i>	<i>Plasma cell leukaemia</i>
M9830/3	Plasma cell leukaemia (C90.1)
<i>M984</i>	<i>Erythroleukaemias</i>
M9840/3	Erythroleukaemia (C94.0)
M9841/3	Acute erythraemia (C94.0)
M9842/3	Chronic erythraemia (C94.0)
<i>M985</i>	<i>Lymphosarcoma cell leukaemia</i>
M9850/3	Lymphosarcoma cell leukaemia (C94.7)

<i>M986</i>	<i>Myeloid (granulocytic) leukaemias</i>
M9860/3	Myeloid leukaemia NOS (C92.9)
M9861/3	Acute myeloid leukaemia (C92.0)
M9862/3	Subacute myeloid leukaemia (C92.2)
M9863/3	Chronic myeloid leukaemia (C92.1)
M9864/3	Aleukaemic myeloid leukaemia (C92.7)
M9866/3	Acute promyelocytic leukaemia (C92.4)
M9867/3	Acute myelomonocytic leukaemia (C92.5)
M9868/3	Chronic myelomonocytic leukaemia (C92.7)
<i>M987</i>	<i>Basophilic leukaemia</i>
M9870/3	Basophilic leukaemia (C92.)
<i>M988</i>	<i>Eosinophilic leukaemia</i>
M9880/3	Eosinophilic leukaemia (C92.-)
<i>M989</i>	<i>Monocytic leukaemias</i>
M9890/3	Monocytic leukaemia NOS (C93.9)
M9891/3	Acute monocytic leukaemia (C93.0)
M9892/3	Subacute monocytic leukaemia (C93.2)
M9893/3	Chronic monocytic leukaemia (C93.1)
M9894/3	Aleukaemic monocytic leukaemia (C93.7)
<i>M990—M994</i>	<i>Other leukaemias</i>
M9900/3	Mast cell leukaemia (C94.3)
M9910/3	Acute megakaryoblastic leukaemia (C94.2)
M9930/3	Myeloid sarcoma (C92.3)
M9931/3	Acute panmyelosis (C94.4)
M9932/3	Acute myelofibrosis (C94.5)
M9940/3	Hairy cell leukaemia (C91.4)
M9941/3	Leukaemic reticuloendotheliosis (C91.4)
M995—M997	Miscellaneous myeloproliferative and lymphoproliferative disorders
M9950/4	Polycythaemia vera (D45)
M9960/4	Chronic myeloproliferative disease (D47.1)
M9961/4	Myeloselerosis with myeloid metaplasia (D47.1)

M9962/1	Idiopathic thrombocythaemia (D47.3)
M9970/1	Lymphoproliferative disease NOS (D47.9)
M995-M997 Miscellaneous myeloproliferative and lymphoproliferative disorders	
M9950/1 Polycythaemia vera (D45)	
M998 Myelodysplastic syndrome	
M9980/1	Refractory anaemia NOS (D46.4)
M9981/1	Refractory anaemia without sideroblasts (D46.0)
M9982/1	Refractory anaemia with sideroblasts (D46.1)
M9983/1	Refractory anaemia with excess of blasts (D46.2)
M9984/1	Refractory anaemia with excess of blasts with transformation (D46.3)
M9989/1	Myelodysplastic syndrome NOS (D46.9)

Special tabulation lists for mortality and morbidity

INSTRUCTION	TABULATION LIST ENTRIES
Revise spelling and code range	<p><i>Mortality tabulation list 1</i> General mortality Condensed list</p> <p>1-043 Non-Hodgkin's lymphoma C82C83,-C85</p>
Revise category	<p>Tabulation list for morbidity</p> <p>163 Haemorrhoids I84K64</p>
Add code	<p>Tabulation list for morbidity (298 causes) <i>Note:</i> These lists were adopted by the World Health Assembly in 1990 for the tabulation of data. They are described, and their use is explained, in Volume 2, the Instruction Manual.</p> <p>Tabulation list for morbidity</p> <p>129 Other diseases of the nervous system G10–G13G14, G21–G26, G31–G32, G36–G37, G46–G47, G60–G73, G90–G99</p>

Definitions

INSTRUCTION	TABULATION LIST ENTRIES
Revise text:	<p>4. Definitions related to maternal mortality</p> <p>4.3. <i>Pregnancy related death</i> <u>Death occurring during pregnancy, childbirth and puerperium</u> A pregnancy related death occurring during pregnancy, childbirth and puerperium is the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the cause of death (<u>obstetric and non obstetric</u>).</p>

Tabular List Changes (for use in South Africa)

Changes made to the 2008 Edition up to and including January 2014 of the WHO Corrigenda.
 The changes highlighted in blue may not be reflected in the 2010 edition of ICD-10 (also referred to as the 4th edition of ICD-10).

South African Implementation date: 01 July 2014

INSTRUCTION	TABULATION LIST ENTRIES
Revise category titles in List of three character categories	<p>Diabetes mellitus (E10-E14)</p> <p>E10 Insulin-dependent <u>Type 1</u> diabetes mellitus</p> <p>E11 Non-insulin-dependent <u>Type 2</u> diabetes mellitus</p>
Revise category title in List of Three-Character Categories	<p>Injuries to the hip and thigh (S70-S79)</p> <p>.....</p> <p>S79 Other and <u>unspecified</u> injuries of hip and thigh</p>
Add inclusion	<p>B17.9 Acute viral hepatitis, unspecified</p> <p>Acute hepatitis NOS <u>Acute infectious hepatitis NOS</u></p>
Revise excludes notes	<p>D76 Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue</p> <p><i>Excludes:</i> (Abt-) Letterer-Siwe disease (C96.0) eosinophilic granuloma (C96.6) Hand-Schüller-Christian disease (C96.5) histiocytic sarcoma (C96.8) histiocytosis X, multifocal (C96.5) histiocytosis X, unifocal (C96.6) Langerhans-cell histiocytosis, multifocal (C96.5) Langerhans-cell histiocytosis, unifocal (C96.6) malignant histiocytosis (C96.8) reticuloendotheliosis: or reticulosis: <input type="checkbox"/> histiocytic medullary (C96.9) <input type="checkbox"/> leukaemic (C91.4) <input type="checkbox"/> lipomelanotic (I89.8)</p>

	<p><input type="checkbox"/> malignant (C85.7) <input type="checkbox"/> nonlipid (C96.0)</p> <p><u>reticulosis:</u> <input type="checkbox"/> histiocytic medullary (C96.8) <input type="checkbox"/> lipomelanotic (I89.8) <input type="checkbox"/> malignant NOS (C860)</p>
<p>Revise code titles and inclusions Revise exclusions</p>	<p>E10 Insulin-dependent <u>Type 1</u> diabetes mellitus [See before E10 for subdivisions]</p> <p><i>Includes:</i> diabetes (mellitus):</p> <p><input type="checkbox"/> brittle <input type="checkbox"/> juvenile-onset <input type="checkbox"/> etosis-prone <input type="checkbox"/> type I</p> <p>E11 Non-insulin-dependent <u>Type 2</u> diabetes mellitus [See before E10 for subdivisions]</p> <p><i>Includes:</i> diabetes (mellitus)(nonobese)(obese):</p> <p><input type="checkbox"/> adult-onset <input type="checkbox"/> maturity-onset <input type="checkbox"/> nonketotic <input type="checkbox"/> stable <input type="checkbox"/> type II non-insulin-dependent diabetes of the young</p> <p>E12 Malnutrition-related diabetes mellitus</p> <p><i>Includes:</i> malnutrition-related diabetes mellitus:</p> <p><input type="checkbox"/> insulin dependent <input type="checkbox"/> non insulin dependent <input type="checkbox"/> type 1 <input type="checkbox"/> type 2</p>

	<p>E13 Other specified diabetes mellitus</p> <p>Excludes: diabetes mellitus (in):</p> <ul style="list-style-type: none"> <input type="checkbox"/> insulin dependent (E10.-) <input type="checkbox"/> malnutrition-related (E12.-) <input type="checkbox"/> neonatal (P70.2) <input type="checkbox"/> non insulin dependent (E11.-) <input type="checkbox"/> pregnancy (gestational), childbirth and the puerperium (O24.-) <input type="checkbox"/> type 1 (E10.-) <input type="checkbox"/> type 2 (E11.-) <p>glycosuria:</p> <ul style="list-style-type: none"> <input type="checkbox"/> NOS (R81) <input type="checkbox"/> renal (E74.8) <p>impaired glucose tolerance (R73.0)</p> <p>postsurgical hypoinsulinaemia (E89.1)</p> <p>E14 Unspecified diabetes mellitus</p> <p>Excludes: diabetes mellitus (in):</p> <ul style="list-style-type: none"> <input type="checkbox"/> insulin dependent (E10.-) <input type="checkbox"/> malnutrition-related (E12.-) <input type="checkbox"/> neonatal (P70.2) <input type="checkbox"/> non insulin dependent (E11.-) <input type="checkbox"/> pregnancy (gestational), childbirth and the puerperium (O24.-) <input type="checkbox"/> type 1 (E10.-) <input type="checkbox"/> type 2 (E11.-) <p>glycosuria:</p> <ul style="list-style-type: none"> <input type="checkbox"/> NOS (R81) <input type="checkbox"/> renal (E74.8) <p>impaired glucose tolerance (R73.0)</p> <p>postsurgical hypoinsulinaemia (E89.1)</p>
<p>Add inclusion term and note</p>	<p>G25 Other extrapyramidal and movement disorders</p> <p>G25.8 Other specified extrapyramidal and movement disorders</p> <p><u>Akathisia (drug-induced) (treatment-induced)</u></p> <p>Restless legs syndrome</p>

	<p>Stiff-man syndrome</p> <p><u>Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced</u></p>
Add inclusions and modify note	<p>K10.2 Inflammatory conditions of jaws</p> <p>Osteitis } Osteomyelitis (neonatal) } of jaw (acute) (chronic) Osteonecrosis (<u>drug-induced</u>) (suppurative) (<u>radiation-induced</u>) } Osteo(radio)necrosis } Periostitis } Sequestrum of jaw bone</p> <p>Use additional external cause code (Chapter XX), if desired, to identify radiation, if radiation induced, or to identify drug, if drug induced.</p>
Add exclusion	<p>M87 Osteonecrosis [See site code at the beginning of this chapter]</p> <p><i>Includes:</i> avascular necrosis of bone <i>Excludes:</i> osteochondropathies (M91-M93) osteonecrosis of jaw (<u>drug-induced</u>)(<u>radiation-induced</u>) (K10.2)</p>
Revise exclusion	<p>N19 Unspecified kidney failure</p> <p>Renal insufficiency NOS Uraemia NOS <i>Excludes:</i> kidney failure with<u>due to</u> hypertension (I12.0) uraemia of newborn (P96.0)</p>
Add includes notes	<p>O13 Gestational [pregnancy-induced] hypertension</p> <p><i>Includes:</i> <u>Transient hypertension of pregnancy</u></p>
Revise code titles	<p>O24 Diabetes mellitus in pregnancy</p> <p><i>Includes:</i> in childbirth and the puerperium</p> <p>O24.0 Pre-existing <u>type 1</u> diabetes mellitus, insulin-dependent</p> <p>O24.1 Pre-existing <u>type 2</u> diabetes mellitus, non-insulin-dependent</p>

Add exclusion	<p>O99.6 Diseases of the digestive system complicating pregnancy, childbirth and the puerperium</p> <p>Conditions in K00-K93</p> <p><i>Excludes:</i> haemorrhoids in pregnancy (O22.4) liver disorders in pregnancy, childbirth and the puerperium (O26.6)</p>
Revise category title	<p>S79 Other and <u>un</u>specified injuries of hip and thigh</p>
Add inclusion	<p>W80 Inhalation and ingestion of other objects causing obstruction of respiratory tract</p> <p><i>Includes:</i> asphyxia by ... <u>aspiration NOS</u> aspiration and inhalation of foreign body, except food or vomitus (into respiratory tract), NOS</p>
Delete inclusion	<p>W84 Unspecified threat to breathing</p> <p><i>Includes:</i> asphyxiation NOS aspiration NOS suffocation NOS</p>

Morphology of Neoplasms

INSTRUCTION	MORPHOLOGY LIST ENTRIES
Revise code	<p>Morphology of neoplasms M814-M838 Adenomas and adenocarcinomas M8202/0 Microcystic adenoma (D13.76)</p>